

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-8.3	843.9	33	258	2	249
2	-8.3	843.8	33	259	2	249
3	-8.4	843.7	33	261	2	249
4	-8.4	843.6	33	263	2	250
5	-8.5	843.5	33	264	2	250
6	-8.5	843.3	34	266	2	250
7	-8.6	843.2	34	268	2	250
8	-8.6	843.1	34	270	2	250
9	-8.7	843.0	34	272	2	251
10	-8.7	842.9	34	274	2	251
11	-8.8	842.8	34	276	2	251
12	-8.8	842.7	34	277	2	251
13	-8.9	842.6	34	279	2	251
14	-8.9	842.5	34	281	2	251
15	-9.0	842.4	34	283	2	252
16	-9.0	842.3	34	285	2	252
17	-9.1	842.1	35	287	2	252
18	-9.1	842.0	35	289	2	252
19	-9.2	841.9	35	291	2	252
20	-9.2	841.8	35	293	2	253
21	-9.3	841.7	35	295	2	253
22	-9.3	841.6	35	296	2	253
23	-9.4	841.5	35	298	2	253
24	-9.4	841.4	35	300	2	253
25	-9.5	841.3	35	302	2	253
26	-9.5	841.2	35	303	2	254
27	-9.6	841.1	36	305	3	254
28	-9.6	840.9	36	307	3	254
29	-9.7	840.8	36	308	3	254
30	-9.7	840.7	36	310	3	254
31	-9.8	840.6	36	311	3	254
32	-9.8	840.5	36	313	3	255
33	-9.9	840.4	36	314	3	255
34	-9.9	840.3	36	315	3	255
35	-10.0	840.2	36	317	3	255
36	-10.0	840.1	36	318	3	255
37	-10.1	840.0	36	319	3	256
38	-10.1	839.9	36	320	3	256
39	-10.2	839.7	36	321	3	256
40	-10.2	839.6	36	321	3	256
41	-10.2	839.5	36	322	3	256
42	-10.2	839.4	36	323	3	256
43	-10.2	839.3	36	323	3	256

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-10.2	839.2	36	324	3	257
45	-10.2	839.1	36	324	3	257
46	-10.2	839.0	36	325	3	257
47	-10.2	838.9	36	326	3	257
48	-10.2	838.8	36	326	3	257
49	-10.2	838.7	36	327	3	257
50	-10.2	838.6	36	328	3	257
55	-10.3	838.1	36	331	3	258
60	-10.3	837.5	37	335	2	259
65	-10.3	836.9	37	340	2	259
70	-10.4	836.4	37	346	2	260
75	-10.4	835.8	37	351	2	261
80	-10.5	835.3	37	357	2	261
85	-10.5	834.7	37	003	2	262
90	-10.5	834.2	37	009	2	263
95	-10.6	833.6	37	015	2	263
100	-10.6	833.1	38	021	2	264
105	-10.7	832.6	38	026	2	265
110	-10.7	832.0	38	027	2	265
115	-10.8	831.5	38	021	2	266
120	-10.8	830.9	38	016	2	267
125	-10.8	830.4	38	010	2	267
130	-10.9	829.8	38	005	3	268
135	-10.9	829.3	38	359	3	269
140	-11.0	828.8	38	355	3	269
145	-11.0	828.2	38	350	3	270
150	-11.1	827.7	38	346	3	271
155	-11.1	827.2	38	342	3	271
160	-11.1	826.6	38	339	3	272
165	-11.2	826.1	38	336	3	273
170	-11.2	825.5	38	333	4	273
175	-11.3	825.0	38	330	4	274
180	-11.3	824.4	39	332	4	275
185	-11.3	823.9	39	335	4	275
190	-11.4	823.4	39	338	3	276
195	-11.4	822.8	39	342	3	277
200	-11.5	822.3	39	346	3	277
205	-11.5	821.8	39	351	3	278
210	-11.6	821.2	39	356	3	279
215	-11.6	820.7	40	001	3	279
220	-11.7	820.1	40	006	3	280
225	-11.7	819.6	40	011	3	281
230	-11.8	819.1	40	017	3	281
235	-11.8	818.5	40	022	3	282
240	-11.9	818.0	40	027	3	283

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-11.9	817.5	41	028	3	284
250	-12.0	816.9	41	021	3	284
255	-12.0	816.4	41	014	3	285
260	-12.1	815.8	41	007	3	286
265	-12.1	815.3	41	360	3	286
270	-12.2	814.8	41	353	3	287
275	-12.2	814.3	41	346	3	288
280	-12.3	813.7	41	341	3	288
285	-12.3	813.2	41	335	3	289
290	-12.4	812.7	41	331	3	290
295	-12.4	812.1	41	326	4	290
300	-12.5	811.6	41	323	4	291
305	-12.5	811.1	41	319	4	292
310	-12.6	810.5	41	317	4	292
315	-12.6	810.0	42	318	4	293
320	-12.7	809.5	42	322	4	294
325	-12.7	808.9	42	326	5	294
330	-12.8	808.4	42	330	5	295
335	-12.8	807.9	42	333	5	296
340	-12.9	807.3	42	337	5	296
345	-12.9	806.8	42	340	5	297
350	-13.0	806.3	42	343	5	298
355	-13.0	805.7	42	346	5	298
360	-13.1	805.2	42	349	5	299
365	-13.1	804.7	42	352	5	300
370	-13.2	804.2	42	354	6	300
375	-13.3	803.6	42	356	6	301
380	-13.3	803.1	43	358	6	302
385	-13.4	802.6	43	359	6	303
390	-13.4	802.0	43	357	6	303
395	-13.5	801.5	43	354	5	304
400	-13.5	801.0	43	352	5	305
405	-13.6	800.5	43	349	5	305
410	-13.6	799.9	43	345	4	306
415	-13.7	799.4	43	342	4	307
420	-13.7	798.9	43	337	4	307
425	-13.7	798.3	43	332	4	308
430	-13.8	797.8	43	327	3	309
435	-13.8	797.3	43	321	3	309
440	-13.9	796.8	43	314	3	310
445	-13.9	796.2	43	306	3	311
450	-14.0	795.7	43	299	3	311
455	-14.0	795.2	43	291	3	312
460	-14.1	794.7	43	291	3	313
465	-14.1	794.2	43	292	3	313

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-14.2	793.6	42	292	3	314
475	-14.2	793.1	42	292	3	315
480	-14.2	792.6	42	292	3	315
485	-14.3	792.0	42	293	3	316
490	-14.3	791.5	42	293	3	317
495	-14.4	791.0	42	293	3	317
500	-14.4	790.5	42	293	3	318
510	-14.5	789.4	42	294	3	319
520	-14.5	788.4	42	294	4	321
530	-14.6	787.3	42	293	4	322
540	-14.7	786.3	42	290	4	323
550	-14.7	785.3	42	288	3	324
560	-14.9	784.2	42	285	3	326
570	-15.0	783.2	42	283	3	327
580	-15.1	782.1	42	281	3	329
590	-15.2	781.1	42	279	3	330
600	-15.3	780.1	42	279	3	331
610	-15.4	779.0	42	283	4	333
620	-15.5	778.0	42	286	4	334
630	-15.6	777.0	43	289	4	335
640	-15.7	775.9	43	292	4	337
650	-15.8	774.9	43	294	4	338
660	-15.9	773.9	43	297	4	339
670	-16.0	772.9	43	299	5	341
680	-16.0	771.8	44	301	5	342
690	-16.1	770.8	44	302	5	344
700	-16.2	769.8	44	304	4	345
710	-16.3	768.8	44	307	4	346
720	-16.4	767.7	44	311	3	348
730	-16.5	766.7	44	318	2	349
740	-16.6	765.7	44	328	2	350
750	-16.7	764.7	44	345	1	352
760	-16.8	763.6	44	013	1	353
770	-16.8	762.6	44	044	1	354
780	-16.9	761.6	44	059	2	356
790	-17.0	760.6	44	066	2	357
800	-17.1	759.6	44	071	2	358
810	-17.2	758.6	44	075	2	360
820	-17.2	757.5	44	078	3	361
830	-17.3	756.6	44	081	3	362
840	-17.4	755.5	44	083	3	364
850	-17.5	754.5	44	084	4	365
860	-17.6	753.5	44	087	4	366
870	-17.6	752.5	44	091	4	368
880	-17.7	751.5	44	095	4	369

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-17.8	750.5	44	098	4	370
900	-17.9	749.5	44	102	5	372
910	-18.0	748.5	44	105	5	373
920	-18.0	747.5	44	108	5	374
930	-18.1	746.5	44	111	5	376
940	-18.2	745.5	44	113	5	377
950	-18.2	744.4	45	116	5	378
960	-18.3	743.5	45	118	5	380
970	-18.4	742.5	45	121	5	381
980	-18.4	741.5	45	123	5	382
990	-18.5	740.5	45	125	5	384
1000	-18.5	739.5	45	128	5	385
1050	-19.0	734.5	46	147	6	392
1100	-19.5	729.6	48	168	7	399
1150	-19.9	724.7	50	166	8	406
1200	-20.3	719.9	52	164	8	412
1250	-20.7	714.9	54	166	8	419
1300	-21.1	710.1	55	158	9	426
1350	-21.5	705.3	57	153	9	433
1400	-21.9	700.5	58	151	10	440
1450	-22.3	695.8	59	148	10	446
1500	-22.7	691.0	61	146	10	453
1550	-23.1	686.3	62	145	10	460
1600	-23.6	681.6	63	141	10	467
1650	-24.0	677.0	64	146	12	474
1700	-24.5	672.4	65	144	15	481
1750	-24.8	667.7	64	149	14	487
1800	-25.1	663.2	64	151	14	494
1850	-25.5	658.6	63	148	13	501
1900	-25.2	654.1	60	141	9	507
1950	-24.5	649.6	53	132	9	512
2000	-23.8	645.1	48	124	9	518
2050	-23.6	640.7	45	117	10	524
2100	-22.7	636.3	44	114	10	529
2150	-22.7	632.0	41	109	10	536
2200	-23.0	627.7	35	114	12	542
2250	-23.4	623.4	31	111	12	549
2300	-23.9	619.2	30	113	13	556
2350	-24.4	614.9	29	119	16	563
2400	-24.6	610.7	29	115	14	569
2450	-24.8	606.5	30	106	12	576
2500	-25.0	602.4	32	102	10	583
2550	-25.3	598.2	33	099	7	590
2600	-25.6	594.1	35	104	4	597
2650	-25.7	590.1	37	144	3	603

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-25.8	586.0	38	172	3	610
2750	-26.2	581.9	39	177	3	617
2800	-26.7	577.9	40	177	4	624
2850	-27.1	573.9	43	177	4	631
2900	-27.5	569.9	45	178	5	638
2950	-27.9	566.0	48	182	6	645
3000	-28.3	562.0	50	184	5	652
3050	-28.6	558.1	52	182	5	659
3100	-28.9	554.2	53	179	5	666
3150	-29.3	550.3	54	176	4	673
3200	-29.6	546.5	55	179	4	680
3250	-29.7	542.7	55	181	2	687
3300	-30.1	538.9	56	190	3	694
3350	-30.4	535.1	56	201	5	701
3400	-30.5	531.3	55	211	6	707
3450	-30.9	527.6	55	217	5	714
3500	-31.3	523.9	55	211	5	721
3550	-31.7	520.2	54	205	5	728
3600	-32.0	516.5	54	194	5	735
3650	-32.3	512.9	45	181	5	741
3700	-32.5	509.2	34	176	6	747
3750	-32.6	505.6	23	174	7	753
3800	-32.7	502.1	19	182	6	760
3850	-32.9	498.5	18	192	6	767
3900	-33.1	495.0	17	191	7	773
3950	-33.4	491.4	15	199	7	780
4000	-33.6	488.0	15	194	7	787
4050	-33.9	484.5	14	182	8	794
4100	-34.2	481.0	11	175	8	801
4150	-34.5	477.6	10	166	9	807
4200	-34.8	474.2	9	169	8	814
4250	-35.0	470.8	9	168	8	821
4300	-35.3	467.4	8	171	8	828
4350	-35.7	464.1	8	171	8	835
4400	-36.0	460.7	9	168	8	842
4450	-36.3	457.4	9	165	8	849
4500	-36.7	454.1	10	168	7	856
4550	-37.1	450.9	12	178	6	863
4600	-37.5	447.6	13	183	6	870
4650	-37.9	444.4	13	186	7	878
4700	-38.4	441.2	15	186	7	885
4750	-38.8	438.0	18	183	8	892
4800	-39.2	434.8	19	180	8	899
4850	-39.4	431.6	16	179	7	906
4900	-39.7	428.5	16	180	6	913

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-40.1	425.3	17	180	7	920
5000	-40.6	422.2	16	182	7	927
5100	-41.4	416.0	14	185	6	941
5200	-42.3	409.9	18	186	7	955
5300	-43.0	403.9	19	179	8	970
5400	-43.9	397.9	22	180	6	984
5500	-44.8	392.0	30	195	4	999
5600	-45.6	386.2	34	199	4	1013
5700	-46.5	380.4	36	203	6	1028
5800	-47.1	374.7	35	201	7	1042
5900	-47.8	369.1	35	198	7	1056
6000	-48.7	363.5	37	207	7	1070
6100	-49.5	358.0	39	215	9	1085
6200	-50.2	352.6	40	213	9	1099
6300	-51.0	347.2	40	209	10	1113
6400	-51.7	341.9	41	215	10	1128
6500	-52.5	336.7	42	213	11	1142
6600	-53.3	331.5	43	217	11	1156
6700	-53.8	326.4	41	218	11	1171
6800	-54.5	321.3	41	219	11	1185
6900	-55.3	316.3	40	213	10	1199
7000	-55.9	311.4	40	219	10	1213
7100	-56.6	306.5	41	222	10	1228
7200	-57.3	301.7	40	226	10	1242
7300	-57.9	297.0	41	227	9	1256
7400	-58.5	292.3	40	233	10	1271
7500	-59.3	287.7	40	228	11	1285
7600	-59.7	283.1	40	225	11	1299
7700	-60.2	278.6	39	216	12	1314
7800	-60.4	274.2	37	214	13	1328
7900	-60.6	269.8	35	216	12	1342
8000	-60.6	265.5	33	219	10	1356
8100	-60.8	261.3	32	225	10	1370
8200	-61.2	257.1	31	220	10	1384
8300	-61.3	253.0	29	216	11	1398
8400	-61.6	249.0	29	223	10	1413
8500	-62.2	245.0	29	223	9	1427
8600	-62.5	241.0	28	225	10	1441
8700	-62.7	237.1	27	230	11	1456
8800	-62.9	233.3	27	221	13	1470
8900	-62.6	229.6	26	224	15	1484
9000	-62.7	225.9	26	226	11	1499
9100	-62.9	222.2	26	217	13	1513
9200	-62.8	218.7	24	217	14	1527
9300	-62.5	215.1	23	214	15	1541

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-62.1	211.7	21	210	14	1555
9500	-62.0	208.3	20	210	16	1570
9600	-61.8	205.0	19	209	17	1584
9700	-61.6	201.7	19	210	15	1598
9800	-61.8	198.4	18	206	15	1613
9900	-61.5	195.3	17	209	17	1627
10000	-61.4	192.1	16	218	14	1642
10100	-61.2	189.1	15	219	11	1656
10200	-61.3	186.1	14	217	11	1671
10300	-61.4	183.1	14	220	11	1685
10400	-61.5	180.2	14	223	14	1700
10500	-61.3	177.3	13	225	14	1714
10600	-61.2	174.4	12	231	15	1729
10700	-61.4	171.7	12	238	17	1744
10800	-61.7	168.9	11	229	17	1759
10900	-62.0	166.2	11	220	17	1773
11000	-62.0	163.5	11	207	17	1788
11100	-62.3	160.9	10	203	19	1803
11200	-62.4	158.3	10	210	18	1817
11300	-62.4	155.8	9	223	19	1832
11400	-62.1	153.3	9	223	20	1847
11500	-62.2	150.8	9	212	20	1862
11600	-61.9	148.4	8	209	20	1876
11700	-62.0	146.0	8	211	19	1891
11800	-62.0	143.7	8	219	18	1906
11900	-61.9	141.4	7	224	22	1921
12000	-61.6	139.1	7	224	24	1936
12100	-61.2	136.9	7	218	25	1950
12200	-60.9	134.7	7	206	24	1965
12300	-61.0	132.6	6	213	19	1980
12400	-61.0	130.5	6	227	19	1995
12500	-61.0	128.4	6	225	22	2010
12600	-60.9	126.3	6	220	24	2025
12700	-60.9	124.3	5	215	26	2040
12800	-60.7	122.3	5	216	27	2055
12900	-60.3	120.4	5	217	25	2070
13000	-60.2	118.5	5	217	25	2085
13100	-59.6	116.6	4	221	26	2099
13200	-59.1	114.8	4	219	25	2114
13300	-59.1	112.9	4	223	25	2129
13400	-59.4	111.2	4	226	24	2144
13500	-59.5	109.4	4	229	26	2160
13600	-59.8	107.7	3	226	29	2175
13700	-59.8	106.0	3	220	27	2190
13800	-60.1	104.3	3	214	28	2205

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-59.8	102.6	3	214	27	2220
14000	-59.7	101.0	3	223	23	2235
14100	-58.9	99.4	3	227	26	2250
14200	-58.8	97.8	3	217	29	2265
14300	-58.7	96.3	2	216	29	2280
14400	-58.4	94.8	2	217	27	2295
14500	-58.4	93.3	2	225	26	2310
14600	-58.1	91.8	2	230	27	2325
14700	-57.6	90.4	2	224	28	2341
14800	-57.6	89.0	2	215	28	2356
14900	-57.6	87.6	2	213	28	2371
15000	-57.7	86.2	2	219	31	2386
15100	-57.6	84.8	1	226	35	2401
15200	-57.2	83.5	1	228	39	2417
15300	-56.4	82.2	1	227	42	2432
15400	-55.6	80.9	1	230	43	2447
15500	-54.8	79.7	1	222	40	2462
15600	-54.3	78.4	1	213	38	2477
15700	-54.0	77.2	1	209	38	2492
15800	-53.8	76.0	1	211	37	2508
15900	-53.7	74.9	1	214	38	2523
16000	-52.9	73.7	1	214	39	2538
16100	-52.6	72.6	1	208	36	2553
16200	-52.6	71.5	1	211	35	2569
16300	-52.6	70.4	1	215	34	2584
16400	-52.3	69.3	1	213	34	2599
16500	-51.9	68.2	1	216	39	2615
16600	-51.5	67.2	1	211	43	2630
16700	-51.1	66.2	1	207	40	2645
16800	-50.8	65.2	1	201	34	2660
16900	-50.1	64.2	1	201	29	2676
17000	-49.9	63.2	1	208	27	2691
17100	-49.8	62.2	1	216	32	2706
17200	-49.7	61.3	1	218	38	2722
17300	-49.6	60.4	1	215	43	2737
17400	-49.5	59.5	1	210	43	2753
17500	-49.5	58.6	1	208	41	2768
17600	-49.5	57.7	1	207	39	2783
17700	-48.9	56.8	1	206	37	2799
17800	-48.1	56.0	1	214	35	2814
17900	-47.4	55.1	1	212	40	2829
18000	-46.9	54.3	1	213	40	2845
18100	-46.3	53.5	1	212	42	2860
18200	-45.7	52.7	1	206	42	2875
18300	-44.9	51.9	1	205	41	2891

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-44.3	51.1	1	213	39	2906
18500	-44.0	50.4	1	213	39	2922
18600	-44.0	49.6	1	213	40	2937
18700	-44.2	48.9	1	209	40	2953
18800	-44.0	48.2	1	202	40	2968
18900	-43.2	47.5	1	199	36	2983
19000	-42.4	46.8	1	201	33	2999
19100	-42.0	46.1	1	206	30	3014
19200	-42.1	45.4	1	209	31	3030
19300	-41.9	44.8	1	210	34	3045
19400	-42.1	44.1	1	209	38	3061
19500	-42.2	43.5	1	205	42	3076
19600	-41.7	42.8	1	199	37	3092
19700	-41.6	42.2	1	201	34	3107
19800	-41.7	41.6	1	206	32	3123
19900	-41.7	41.0	1	210	37	3138
20000	-40.8	40.4	1	206	38	3154
20100	-39.7	39.8	1	198	38	3169
20200	-39.6	39.2	1	191	36	3185
20300	-39.8	38.7	1	185	34	3200
20400	-39.6	38.1	1	182	32	3216
20500	-39.3	37.5	1	182	28	3231
20600	-38.9	37.0	1	197	27	3247
20700	-38.8	36.5	1	209	30	3262
20800	-39.0	35.9	1	213	34	3278
20900	-38.6	35.4	1	205	37	3293
21000	-38.1	34.9	1	198	38	3309
21100	-37.8	34.4	1	194	39	3324
21200	-37.8	33.9	1	190	39	3340
21300	-37.3	33.4	1	187	39	3355
21400	-37.2	33.0	1	189	38	3371
21500	-36.8	32.5	1	189	35	3386
21600	-36.2	32.0	1	188	34	3402
21700	-35.4	31.6	1	191	33	3417
21800	-34.8	31.1	1	190	33	3433
21900	-34.6	30.7	1	187	30	3448
22000	-34.2	30.2	1	184	30	3464
22100	-34.4	29.8	1	180	30	3479
22200	-35.0	29.4	1	174	32	3495
22300	-34.8	29.0	1	173	32	3511
22400	-34.2	28.6	1	176	27	3526
22500	-33.9	28.2	1	178	30	3542
22600	-33.5	27.8	1	174	30	3557
22700	-32.4	27.4	1	180	26	3573
22800	-31.7	27.0	1	177	29	3588

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-31.2	26.6	1	171	30	3604
23000	-30.8	26.2	1	167	27	3619
23100	-30.6	25.9	1	165	26	3635
23200	-30.6	25.5	1	162	27	3651
23300	-30.2	25.2	1	164	29	3666
23400	-29.6	24.8	1	167	27	3682
23500	-29.5	24.5	1	164	27	3697
23600	-29.5	24.1	1	172	27	3713
23700	-29.5	23.8	1	175	30	3729
23800	-29.0	23.5	1	176	31	3744
23900	-29.0	23.1	1	182	28	3760
24000	-29.1	22.8	1	173	23	3775
24100	-29.1	22.5	1	185	22	3791
24200	-29.0	22.2	1	185	23	3807
24300	-28.7	21.9	1	184	27	3822
24400	-29.1	21.6	1	181	28	3838
24500	-29.2	21.3	1	170	28	3853
24600	-29.3	21.0	1	166	26	3869
24700	-29.0	20.7	1	166	25	3885
24800	-28.5	20.4	1	178	22	3900
24900	-28.5	20.1	1	183	22	3916
25000	-28.2	19.9	1	179	24	3931
25100	-28.1	19.6	1	175	26	3947
25200	-28.2	19.3	1	173	29	3963
25300	-27.9	19.1	1	170	29	3978
25400	-27.6	18.8	1	170	24	3994
25500	-28.3	18.5	1	154	22	4009
25600	-28.7	18.3	1	145	21	4025
25700	-29.2	18.0	1	147	20	4041
25800	-29.0	17.8	1	154	22	4056
25900	-28.3	17.5	1	159	25	4072
26000	-28.0	17.3	1	157	28	4088
26100	-27.3	17.1	1	158	30	4103
26200	-26.2	16.8	1	157	29	4119
26300	-25.5	16.6	1	151	31	4134
26400	-25.2	16.4	1	151	32	4150
26500	-24.6	16.1	1	155	29	4166
26600	-24.6	15.9	1	162	26	4181
26700	-24.6	15.7	1	163	21	4197
26800	-24.3	15.5	1	169	33	4213
26900	-25.1	15.3	1	--	--	4228
27000	-24.0	15.1	1	--	--	4244
27100	-23.5	14.9	1	--	--	4259
27200	-23.7	14.7	1	--	--	4275
27300	-23.9	14.5	1	--	--	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-23.5	14.3	1	--	--	4306
27500	-23.7	14.1	1	152	36	4322
27600	-22.9	13.9	1	153	39	4338
27700	-22.4	13.7	1	147	36	4353
27800	-22.4	13.5	1	143	33	4369
27900	-22.0	13.3	1	135	34	4384
28000	-21.8	13.2	1	134	36	4400
28100	-22.0	13.0	1	138	38	4416
28200	-22.1	12.8	1	133	39	4431
28300	-22.0	12.6	1	122	35	4447
28400	-21.9	12.5	1	110	31	4463
28500	-20.9	12.3	1	105	26	4478
28600	-20.1	12.1	1	106	20	4494
28700	-19.7	12.0	1	120	16	4510
28800	-19.6	11.8	1	134	14	4525
28900	-19.8	11.7	1	157	17	4541
29000	-19.5	11.5	1	154	25	4557
29100	-19.6	11.4	1	148	30	4572
29200	-19.4	11.2	1	145	28	4588
29300	-19.1	11.1	1	140	23	4604
29400	-18.6	10.9	1	145	20	4619
29500	-18.4	10.8	1	155	24	4635
29600	-18.5	10.6	1	159	27	4651
29700	-18.5	10.5	1	157	23	4666
29800	-18.5	10.3	1	144	23	4682
29900	-18.3	10.2	1	135	24	4697
30000	-17.8	10.1	1	130	22	4713
30100	-17.4	9.9	1	125	29	4729
30200	-16.8	9.8	1	123	23	4744
30300	-16.3	9.7	1	118	18	4760
30400	-15.7	9.6	1	107	19	4776
30500	-15.6	9.4	1	117	25	4791
30600	-15.5	9.3	1	124	25	4807
30700	-15.6	9.2	1	126	24	4823
30800	-15.9	9.1	1	126	24	4838
30900	-16.1	8.9	1	126	22	4854
31000	-16.1	8.8	1	128	17	4870
31100	-16.2	8.7	1	117	17	4885
31200	-16.2	8.6	1	109	20	4901
31300	-15.9	8.5	1	110	17	4917
31400	-15.8	8.4	1	116	18	4932
31500	-15.7	8.3	1	121	22	4948
31600	-15.4	8.2	1	134	18	4964
31700	-15.1	8.1	1	152	18	4979
31800	-15.4	7.9	1	154	17	4995

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
31900	-15.1	7.8	1	144	27	5011