

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-9.9	832.3	41	078	9	248
2	-9.9	832.2	40	078	9	248
3	-9.9	832.1	40	078	9	248
4	-9.9	832.0	40	078	9	248
5	-9.9	831.9	40	077	9	248
6	-10.0	831.8	39	077	9	248
7	-10.0	831.6	39	077	9	248
8	-10.0	831.5	39	077	9	249
9	-10.0	831.4	38	077	9	249
10	-10.0	831.3	38	077	9	249
11	-10.0	831.2	38	077	9	249
12	-10.0	831.1	37	077	10	249
13	-10.0	831.0	37	077	10	249
14	-10.0	830.9	37	076	10	249
15	-10.0	830.8	37	076	10	249
16	-10.0	830.7	36	076	10	249
17	-10.1	830.6	36	076	10	250
18	-10.1	830.5	36	076	10	250
19	-10.1	830.3	35	076	10	250
20	-10.1	830.2	35	076	10	250
21	-10.1	830.1	35	076	10	250
22	-10.1	830.0	34	076	10	250
23	-10.1	829.9	34	076	10	250
24	-10.1	829.8	34	076	10	250
25	-10.1	829.7	34	075	10	251
26	-10.1	829.6	33	075	10	251
27	-10.1	829.5	33	075	10	251
28	-10.1	829.4	33	075	10	251
29	-10.2	829.3	32	075	10	251
30	-10.2	829.2	32	075	10	251
31	-10.2	829.1	32	075	10	251
32	-10.2	828.9	32	075	11	251
33	-10.2	828.8	31	075	11	251
34	-10.2	828.7	31	075	11	252
35	-10.2	828.6	31	075	11	252
36	-10.2	828.5	30	074	11	252
37	-10.2	828.4	30	074	11	252
38	-10.2	828.3	30	074	11	252
39	-10.3	828.2	30	074	11	252
40	-10.3	828.1	30	074	11	252
41	-10.3	828.0	30	074	11	252
42	-10.3	827.9	30	074	11	253
43	-10.3	827.8	30	074	11	253

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-10.3	827.6	30	074	11	253
45	-10.3	827.5	30	074	11	253
46	-10.3	827.4	30	074	11	253
47	-10.3	827.3	30	074	11	253
48	-10.4	827.2	30	074	11	253
49	-10.4	827.1	30	074	11	254
50	-10.4	827.0	30	074	11	254
55	-10.4	826.5	30	074	11	254
60	-10.5	825.9	30	075	11	255
65	-10.5	825.4	30	075	12	256
70	-10.6	824.9	30	075	12	256
75	-10.7	824.3	31	076	12	257
80	-10.7	823.8	31	076	12	258
85	-10.8	823.2	31	076	12	258
90	-10.8	822.7	31	077	12	259
95	-10.9	822.2	31	077	12	260
100	-10.9	821.6	31	077	12	261
105	-11.0	821.1	31	078	12	261
110	-11.1	820.6	32	078	12	262
115	-11.1	820.0	32	078	12	263
120	-11.2	819.5	32	078	13	263
125	-11.2	819.0	32	079	13	264
130	-11.3	818.4	32	079	13	265
135	-11.3	817.9	32	079	13	265
140	-11.4	817.3	32	080	13	266
145	-11.4	816.8	32	080	13	267
150	-11.5	816.3	32	080	13	267
155	-11.5	815.7	32	080	13	268
160	-11.6	815.2	32	079	13	269
165	-11.6	814.7	32	079	13	269
170	-11.7	814.1	32	079	13	270
175	-11.7	813.6	32	079	13	271
180	-11.8	813.1	32	079	13	271
185	-11.8	812.5	32	079	13	272
190	-11.8	812.0	32	079	13	273
195	-11.9	811.5	32	079	13	273
200	-11.9	811.0	32	079	13	274
205	-12.0	810.4	32	078	13	275
210	-12.0	809.9	32	078	13	275
215	-12.1	809.4	32	078	13	276
220	-12.1	808.9	32	078	13	277
225	-12.1	808.3	32	078	13	277
230	-12.2	807.8	33	078	13	278
235	-12.2	807.2	33	078	13	279
240	-12.3	806.7	33	078	13	279

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-12.3	806.2	33	079	13	280
250	-12.4	805.7	33	079	13	281
255	-12.4	805.1	33	080	13	281
260	-12.5	804.6	33	081	13	282
265	-12.5	804.1	33	082	13	283
270	-12.6	803.5	33	083	13	284
275	-12.6	803.0	34	083	13	284
280	-12.7	802.5	34	084	13	285
285	-12.7	802.0	34	085	13	286
290	-12.8	801.4	34	086	13	286
295	-12.8	800.9	34	086	13	287
300	-12.9	800.4	34	087	13	288
305	-12.9	799.9	34	088	13	288
310	-13.0	799.3	34	089	13	289
315	-13.0	798.8	34	089	13	290
320	-13.1	798.3	34	090	13	290
325	-13.1	797.8	35	091	13	291
330	-13.2	797.2	35	091	13	292
335	-13.2	796.7	35	091	13	292
340	-13.3	796.2	35	090	13	293
345	-13.4	795.6	35	090	13	294
350	-13.4	795.1	35	090	13	294
355	-13.5	794.6	35	089	13	295
360	-13.5	794.1	35	089	13	296
365	-13.6	793.6	35	089	13	296
370	-13.6	793.0	35	088	13	297
375	-13.7	792.5	35	088	12	298
380	-13.7	792.0	35	088	12	298
385	-13.8	791.5	35	087	12	299
390	-13.8	790.9	35	087	12	300
395	-13.9	790.4	35	087	12	301
400	-13.9	789.9	35	086	12	301
405	-14.0	789.4	35	086	12	302
410	-14.0	788.9	35	085	12	303
415	-14.0	788.3	35	085	12	303
420	-14.1	787.8	35	085	11	304
425	-14.1	787.3	35	084	11	305
430	-14.2	786.8	36	084	11	305
435	-14.2	786.3	36	084	11	306
440	-14.3	785.7	36	083	11	307
445	-14.3	785.2	36	083	11	307
450	-14.4	784.7	36	083	11	308
455	-14.4	784.2	36	082	11	309
460	-14.5	783.7	36	082	11	309
465	-14.5	783.1	36	082	11	310

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-14.5	782.6	36	081	11	311
475	-14.6	782.1	36	081	11	311
480	-14.7	781.6	36	081	11	312
485	-14.7	781.0	36	080	11	313
490	-14.8	780.5	36	080	11	313
495	-14.8	779.9	36	080	11	314
500	-14.9	779.4	36	079	11	315
510	-15.0	778.5	37	079	11	316
520	-15.1	777.5	37	078	11	317
530	-15.1	776.4	37	077	11	319
540	-15.2	775.4	37	077	11	320
550	-15.3	774.4	38	078	10	322
560	-15.4	773.3	38	078	10	323
570	-15.5	772.3	38	078	10	324
580	-15.6	771.3	38	079	10	326
590	-15.7	770.3	39	079	10	327
600	-15.8	769.2	39	080	10	328
610	-15.9	768.2	39	080	10	330
620	-16.0	767.2	40	080	10	331
630	-16.1	766.2	40	081	10	332
640	-16.2	765.2	40	081	10	334
650	-16.3	764.1	40	081	10	335
660	-16.4	763.1	41	082	10	337
670	-16.5	762.2	41	082	10	338
680	-16.6	761.1	41	082	10	339
690	-16.7	760.1	41	082	10	341
700	-16.8	759.1	41	082	11	342
710	-16.9	758.1	41	082	11	343
720	-17.0	757.0	42	083	11	345
730	-17.1	756.0	42	083	11	346
740	-17.2	755.0	42	083	11	347
750	-17.3	754.0	42	083	12	349
760	-17.4	753.0	42	083	12	350
770	-17.5	752.0	42	083	12	352
780	-17.6	751.0	42	084	11	353
790	-17.7	750.0	42	085	11	354
800	-17.8	749.0	42	086	11	356
810	-17.9	748.0	43	087	10	357
820	-18.0	747.0	43	088	10	358
830	-18.1	746.0	43	089	10	360
840	-18.2	745.0	43	090	9	361
850	-18.3	744.0	43	092	9	362
860	-18.4	743.0	44	093	8	364
870	-18.4	742.0	44	095	8	365
880	-18.5	741.0	44	097	8	367

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-18.6	740.0	45	097	8	368
900	-18.7	739.0	45	097	8	369
910	-18.8	738.0	45	097	8	371
920	-18.9	737.0	46	097	8	372
930	-19.0	736.0	46	097	8	373
940	-19.1	735.0	46	097	8	375
950	-19.2	734.0	47	097	9	376
960	-19.3	733.1	47	097	9	378
970	-19.4	732.1	47	097	9	379
980	-19.5	731.1	48	097	9	380
990	-19.6	730.1	48	097	9	382
1000	-19.7	729.1	48	098	9	383
1050	-20.3	724.2	50	105	8	390
1100	-20.8	719.3	52	113	7	397
1150	-21.2	714.5	54	106	7	404
1200	-21.6	709.6	56	099	8	411
1250	-22.0	704.8	58	098	7	417
1300	-22.5	700.0	59	097	7	424
1350	-23.0	695.2	60	099	7	431
1400	-23.3	690.5	61	099	9	438
1450	-23.8	685.8	61	098	11	445
1500	-24.2	681.1	62	101	11	452
1550	-24.8	676.4	63	106	11	459
1600	-25.3	671.8	65	107	11	465
1650	-25.7	667.1	67	107	12	472
1700	-26.1	662.5	69	107	11	479
1750	-26.6	658.0	70	107	11	486
1800	-27.1	653.4	72	107	12	493
1850	-27.5	648.9	73	107	13	500
1900	-27.9	644.4	74	107	14	507
1950	-28.3	639.9	75	106	15	514
2000	-28.7	635.5	76	096	16	520
2050	-29.2	631.0	76	087	18	527
2100	-29.5	626.6	75	086	18	534
2150	-29.8	622.2	73	086	18	541
2200	-29.7	617.9	70	093	14	547
2250	-29.6	613.5	67	106	10	553
2300	-29.6	609.3	65	113	9	559
2350	-29.4	605.0	61	121	8	565
2400	-29.2	600.7	57	124	9	571
2450	-28.8	596.5	51	117	8	577
2500	-28.2	592.4	44	111	7	583
2550	-28.1	588.3	38	122	8	589
2600	-28.4	584.2	34	124	11	596
2650	-28.3	580.1	32	120	12	602

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-28.2	576.1	29	113	12	608
2750	-28.4	572.1	28	110	12	615
2800	-28.6	568.1	26	103	10	621
2850	-28.7	564.1	25	095	9	628
2900	-28.8	560.2	24	087	9	635
2950	-29.0	556.3	23	082	8	641
3000	-29.3	552.4	22	083	5	648
3050	-29.6	548.5	22	075	5	655
3100	-29.9	544.7	22	076	4	662
3150	-30.3	540.9	22	088	3	669
3200	-30.7	537.1	21	089	4	676
3250	-31.2	533.3	21	115	4	683
3300	-31.5	529.5	22	137	5	690
3350	-32.0	525.8	22	124	5	697
3400	-32.5	522.1	22	117	5	704
3450	-32.9	518.4	22	125	5	711
3500	-33.2	514.7	22	136	6	717
3550	-33.4	511.0	23	139	5	724
3600	-33.8	507.4	23	141	5	731
3650	-34.2	503.8	23	131	5	738
3700	-34.6	500.2	22	114	6	745
3750	-34.7	496.6	21	120	7	752
3800	-34.8	493.1	19	125	8	758
3850	-34.9	489.6	16	125	9	765
3900	-35.3	486.0	15	122	9	772
3950	-35.6	482.6	14	123	10	779
4000	-35.8	479.1	13	123	11	786
4050	-36.1	475.7	12	122	11	792
4100	-36.4	472.2	12	111	10	799
4150	-36.7	468.8	11	102	10	806
4200	-36.8	465.5	11	097	9	813
4250	-37.1	462.1	10	100	8	820
4300	-37.4	458.8	10	105	6	827
4350	-37.7	455.5	10	111	4	834
4400	-38.0	452.2	10	123	3	841
4450	-38.4	448.9	9	150	2	848
4500	-38.7	445.6	9	152	2	855
4550	-39.0	442.4	10	161	3	862
4600	-39.3	439.2	10	166	4	869
4650	-39.6	436.0	10	165	5	876
4700	-40.0	432.8	10	158	7	883
4750	-40.4	429.6	10	154	6	890
4800	-40.7	426.5	11	151	4	897
4850	-41.0	423.3	11	139	3	904
4900	-41.4	420.2	12	115	2	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-41.9	417.1	12	106	2	918
5000	-42.2	414.1	13	121	2	925
5100	-43.0	408.0	14	165	4	939
5200	-43.7	402.0	16	148	3	954
5300	-44.5	396.0	18	101	2	968
5400	-45.3	390.1	20	110	3	982
5500	-46.0	384.3	21	112	3	996
5600	-46.9	378.5	22	116	3	1011
5700	-47.9	372.9	23	117	4	1025
5800	-48.8	367.2	24	113	5	1039
5900	-49.7	361.7	26	112	5	1054
6000	-50.6	356.2	27	121	4	1068
6100	-51.2	350.7	27	112	2	1082
6200	-52.0	345.4	27	125	2	1097
6300	-52.9	340.1	28	161	3	1111
6400	-53.8	334.8	28	203	2	1125
6500	-54.5	329.6	29	190	4	1140
6600	-55.1	324.5	28	190	4	1154
6700	-55.6	319.5	29	184	3	1168
6800	-56.3	314.5	29	252	1	1182
6900	-57.1	309.6	30	271	2	1197
7000	-57.9	304.7	31	239	2	1211
7100	-58.5	299.9	31	227	1	1226
7200	-58.9	295.2	31	280	2	1240
7300	-59.9	290.5	31	275	3	1254
7400	-60.6	285.8	32	251	4	1269
7500	-61.3	281.3	32	246	5	1283
7600	-61.6	276.8	32	252	4	1297
7700	-60.5	272.4	28	239	2	1311
7800	-60.5	268.0	27	277	3	1325
7900	-60.6	263.8	27	297	3	1339
8000	-61.0	259.5	26	319	4	1353
8100	-61.2	255.4	25	298	4	1367
8200	-61.2	251.3	25	283	2	1381
8300	-61.3	247.3	24	285	4	1396
8400	-61.1	243.3	24	260	5	1410
8500	-60.9	239.5	23	240	5	1424
8600	-61.1	235.6	22	265	2	1438
8700	-61.1	231.9	22	242	1	1453
8800	-61.2	228.2	21	300	4	1467
8900	-61.0	224.5	21	276	4	1481
9000	-61.2	220.9	20	301	4	1496
9100	-61.1	217.4	19	256	3	1510
9200	-60.8	213.9	19	261	4	1524
9300	-61.0	210.5	18	271	4	1539

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-61.0	207.2	17	240	4	1553
9500	-60.9	203.9	16	245	6	1567
9600	-60.7	200.6	16	242	5	1582
9700	-60.5	197.4	16	248	6	1596
9800	-60.3	194.3	15	223	6	1611
9900	-60.4	191.2	15	209	3	1625
10000	-60.4	188.1	14	186	4	1640
10100	-60.7	185.1	13	132	2	1654
10200	-60.7	182.2	13	314	3	1669
10300	-60.5	179.3	13	283	4	1684
10400	-60.6	176.4	13	286	2	1698
10500	-60.5	173.6	12	258	4	1713
10600	-60.7	170.9	12	246	4	1728
10700	-60.8	168.1	11	241	4	1742
10800	-60.7	165.5	11	242	6	1757
10900	-60.9	162.8	10	227	3	1772
11000	-60.6	160.2	10	228	1	1786
11100	-60.8	157.7	10	181	1	1801
11200	-60.8	155.2	9	253	4	1816
11300	-60.7	152.7	9	246	7	1831
11400	-60.8	150.3	9	220	6	1845
11500	-60.8	147.9	9	189	5	1860
11600	-60.6	145.5	8	214	4	1875
11700	-60.1	143.2	8	214	5	1890
11800	-59.9	140.9	8	237	8	1905
11900	-60.0	138.7	8	207	9	1919
12000	-60.2	136.5	7	183	8	1934
12100	-60.1	134.3	7	202	5	1949
12200	-60.1	132.2	7	220	7	1964
12300	-59.6	130.1	7	236	5	1979
12400	-59.2	128.0	6	246	5	1994
12500	-58.9	126.0	6	249	7	2009
12600	-58.9	124.0	6	239	9	2024
12700	-58.9	122.1	6	228	11	2039
12800	-58.6	120.1	5	223	9	2053
12900	-58.4	118.2	5	211	10	2068
13000	-58.3	116.4	5	202	10	2083
13100	-58.1	114.5	5	193	6	2098
13200	-57.9	112.7	4	184	6	2113
13300	-57.8	111.0	4	190	3	2128
13400	-57.7	109.2	4	209	7	2143
13500	-57.5	107.5	4	199	8	2159
13600	-56.9	105.8	4	198	9	2173
13700	-56.1	104.2	4	219	6	2188
13800	-55.6	102.6	3	244	5	2203

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-55.3	101.0	3	263	6	2219
14000	-55.0	99.4	3	272	8	2234
14100	-55.1	97.9	3	253	10	2249
14200	-55.1	96.3	3	251	9	2264
14300	-55.0	94.8	3	238	12	2279
14400	-54.4	93.4	2	231	11	2294
14500	-53.5	91.9	2	234	9	2309
14600	-53.1	90.5	2	254	11	2324
14700	-52.7	89.1	2	250	12	2339
14800	-52.3	87.8	2	238	12	2355
14900	-51.9	86.4	2	232	12	2370
15000	-51.6	85.1	1	220	9	2385
15100	-51.5	83.8	1	217	8	2400
15200	-51.2	82.5	1	236	11	2415
15300	-50.6	81.3	1	228	12	2431
15400	-50.2	80.0	1	220	13	2446
15500	-49.9	78.8	1	228	10	2461
15600	-49.6	77.6	1	234	12	2476
15700	-48.9	76.5	1	231	15	2491
15800	-48.5	75.3	1	223	13	2507
15900	-48.2	74.2	1	227	12	2522
16000	-47.8	73.1	1	228	10	2537
16100	-47.6	72.0	1	238	9	2553
16200	-47.2	70.9	1	233	15	2568
16300	-46.8	69.8	1	216	12	2583
16400	-46.3	68.8	1	227	9	2598
16500	-45.7	67.8	1	208	11	2614
16600	-45.1	66.8	1	213	10	2629
16700	-44.9	65.8	1	211	8	2644
16800	-44.7	64.8	1	225	9	2660
16900	-44.5	63.8	1	229	11	2675
17000	-44.6	62.9	1	221	12	2690
17100	-44.3	62.0	1	232	13	2706
17200	-43.6	61.0	1	238	17	2721
17300	-43.1	60.2	1	233	14	2736
17400	-43.3	59.3	1	239	17	2752
17500	-43.1	58.4	1	234	20	2767
17600	-43.2	57.5	1	231	19	2783
17700	-42.8	56.7	1	218	21	2798
17800	-42.0	55.9	1	216	18	2813
17900	-41.5	55.0	1	215	18	2829
18000	-40.9	54.2	1	226	17	2844
18100	-41.2	53.5	1	227	15	2860
18200	-41.2	52.7	1	224	14	2875
18300	-40.8	51.9	1	229	15	2891

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-40.8	51.2	1	229	17	2906
18500	-40.6	50.4	1	233	20	2921
18600	-40.2	49.7	1	223	21	2937
18700	-39.8	49.0	1	213	21	2952
18800	-39.4	48.3	1	207	23	2968
18900	-39.2	47.6	1	208	24	2983
19000	-38.9	46.9	1	208	23	2999
19100	-38.9	46.2	1	206	19	3014
19200	-38.1	45.5	1	213	16	3030
19300	-37.5	44.9	1	223	15	3045
19400	-37.2	44.2	1	231	17	3060
19500	-37.0	43.6	1	240	20	3076
19600	-36.7	43.0	1	234	23	3091
19700	-36.6	42.4	1	225	22	3107
19800	-36.8	41.8	1	225	21	3122
19900	-36.7	41.2	1	229	22	3138
20000	-36.5	40.6	1	226	22	3153
20100	-36.3	40.0	1	229	24	3169
20200	-35.7	39.4	1	229	26	3184
20300	-35.4	38.9	1	223	26	3200
20400	-34.9	38.3	1	221	24	3215
20500	-35.0	37.8	1	224	23	3231
20600	-35.2	37.2	1	225	25	3246
20700	-34.7	36.7	1	222	26	3262
20800	-34.2	36.2	1	221	28	3277
20900	-33.6	35.7	1	212	30	3293
21000	-33.3	35.2	1	212	23	3308
21100	-33.1	34.7	1	209	24	3324
21200	-33.1	34.2	1	208	25	3340
21300	-33.3	33.7	1	207	26	3355
21400	-33.0	33.2	1	205	26	3371
21500	-32.8	32.8	1	203	27	3386
21600	-32.9	32.3	1	200	29	3402
21700	-32.8	31.9	1	192	25	3417
21800	-32.4	31.4	1	196	12	3433
21900	-32.5	31.0	1	214	19	3448
22000	-32.2	30.5	1	234	12	3464
22100	-31.6	30.1	1	230	17	3479
22200	-31.1	29.7	1	230	17	3495
22300	-30.4	29.3	1	228	18	3511
22400	-30.3	28.9	1	230	22	3526
22500	-30.8	28.5	1	229	26	3542
22600	-31.1	28.1	1	223	26	3557
22700	-31.3	27.7	1	217	25	3573
22800	-31.0	27.3	1	211	25	3588

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-30.6	26.9	1	206	22	3604
23000	-30.2	26.5	1	214	19	3620
23100	-30.2	26.2	1	220	22	3635
23200	-30.1	25.8	1	222	25	3651
23300	-30.5	25.4	1	225	27	3666
23400	-30.7	25.1	1	222	25	3682
23500	-30.8	24.7	1	220	23	3697
23600	-30.8	24.4	1	220	22	3713
23700	-30.9	24.1	1	225	22	3729
23800	-30.6	23.7	1	221	22	3744
23900	-30.3	23.4	1	220	22	3760
24000	-30.3	23.1	1	209	23	3775
24100	-30.1	22.7	1	200	26	3791
24200	-29.8	22.4	1	200	23	3807
24300	-29.4	22.1	1	201	23	3822
24400	-29.1	21.8	1	198	23	3838
24500	-29.1	21.5	1	199	24	3853
24600	-29.2	21.2	1	193	22	3869
24700	-29.2	20.9	1	183	22	3885
24800	-29.3	20.6	1	183	20	3900
24900	-28.9	20.3	1	183	19	3916
25000	-28.5	20.1	1	181	15	3931
25100	-28.0	19.8	1	184	15	3947
25200	-27.6	19.5	1	194	13	3963
25300	-26.9	19.2	1	179	15	3978
25400	-26.1	19.0	1	174	12	3994
25500	-25.2	18.7	1	172	10	4009
25600	-24.9	18.5	1	162	10	4025
25700	-25.2	18.2	1	155	11	4041
25800	-25.4	18.0	1	155	11	4056
25900	-25.6	17.7	1	169	11	4072
26000	-25.5	17.5	1	156	10	4088
26100	-25.1	17.2	1	138	12	4103
26200	-24.4	17.0	1	142	13	4119
26300	-23.8	16.8	1	161	12	4134
26400	-24.2	16.6	1	174	12	4150
26500	-24.7	16.3	1	167	16	4166
26600	-25.0	16.1	1	155	17	4181
26700	-25.0	15.9	1	139	17	4197
26800	-24.4	15.7	1	124	12	4213
26900	-23.5	15.5	1	116	8	4228
27000	-22.5	15.3	1	084	4	4244
27100	-22.0	15.1	1	344	2	4259
27200	-22.0	14.8	1	282	2	4275
27300	-21.9	14.6	1	261	3	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-21.8	14.5	1	198	4	4306
27500	-21.5	14.3	1	179	6	4322
27600	-21.7	14.1	1	163	9	4338
27700	-21.8	13.9	1	158	14	4353
27800	-21.6	13.7	1	152	15	4369
27900	-21.5	13.5	1	148	16	4385
28000	-21.7	13.3	1	127	15	4400
28100	-21.8	13.2	1	107	12	4416
28200	-21.8	13.0	1	106	11	4431
28300	-21.7	12.8	1	121	12	4447
28400	-21.4	12.6	1	103	15	4463
28500	-21.3	12.5	1	097	16	4478
28600	-21.4	12.3	1	093	17	4494
28700	-21.4	12.1	1	078	14	4510
28800	-21.9	12.0	1	062	16	4525
28900	-22.3	11.8	1	056	16	4541
29000	-22.3	11.6	1	046	13	4557
29100	-21.9	11.5	1	033	10	4572
29200	-22.0	11.3	1	050	8	4588
29300	-21.8	11.2	1	081	10	4604
29400	-21.6	11.0	1	083	9	4619
29500	-21.2	10.9	1	080	6	4635
29600	-20.2	10.7	1	092	12	4651
29700	-19.4	10.6	1	080	15	4666
29800	-18.8	10.5	1	081	14	4682
29900	-17.7	10.3	1	093	14	4698
30000	-17.7	10.2	1	096	16	4713
30100	-17.6	10.1	1	086	10	4729
30200	-16.8	9.9	1	123	6	4744
30300	-15.7	9.8	1	179	4	4760
30400	-15.3	9.7	1	178	10	4776
30500	-15.5	9.5	1	169	16	4791
30600	-15.5	9.4	1	173	20	4807
30700	-15.3	9.3	1	159	20	4823
30800	-15.1	9.2	1	139	19	4838
30900	-14.7	9.0	1	124	16	4854
31000	-14.8	8.9	1	111	20	4870
31100	-14.9	8.8	1	119	10	4885
31200	-14.8	8.7	1	098	30	4901
31300	-14.6	8.6	1	093	28	4917
31400	-14.8	8.5	1	097	30	4932
31500	-14.8	8.4	1	107	23	4948
31600	-14.5	8.3	1	118	25	4964
31700	-14.2	8.1	1	109	26	4979