

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-8.7	834.5	51	276	9	248
2	-8.8	834.4	51	277	9	248
3	-8.8	834.3	52	277	10	248
4	-8.8	834.2	52	278	10	248
5	-8.8	834.1	53	279	10	248
6	-8.9	834.0	54	279	10	249
7	-8.9	833.8	54	280	10	249
8	-8.9	833.7	55	281	10	249
9	-9.0	833.6	55	281	11	249
10	-9.0	833.5	56	282	11	249
11	-9.0	833.4	56	283	11	250
12	-9.0	833.3	57	283	11	250
13	-9.1	833.2	58	284	11	250
14	-9.1	833.1	58	284	11	250
15	-9.1	833.0	59	285	11	250
16	-9.2	832.9	59	285	12	251
17	-9.2	832.8	60	286	12	251
18	-9.2	832.7	61	286	12	251
19	-9.2	832.5	61	287	12	251
20	-9.3	832.4	62	287	12	251
21	-9.3	832.3	62	288	12	251
22	-9.3	832.2	63	288	13	252
23	-9.4	832.1	64	288	13	252
24	-9.4	832.0	64	289	13	252
25	-9.4	831.9	64	289	13	252
26	-9.4	831.8	64	290	13	252
27	-9.4	831.7	63	290	14	252
28	-9.4	831.6	63	290	14	252
29	-9.4	831.5	63	291	14	253
30	-9.4	831.4	63	291	14	253
31	-9.4	831.3	63	291	14	253
32	-9.4	831.1	63	292	14	253
33	-9.5	831.0	63	292	15	253
34	-9.5	830.9	63	292	15	253
35	-9.5	830.8	62	293	15	253
36	-9.5	830.7	62	293	15	253
37	-9.5	830.6	62	293	15	254
38	-9.5	830.5	62	292	15	254
39	-9.5	830.4	62	292	15	254
40	-9.5	830.3	62	292	15	254
41	-9.5	830.2	62	292	15	254
42	-9.5	830.1	62	292	15	254
43	-9.5	830.0	61	292	15	254

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-9.6	829.9	61	292	15	255
45	-9.6	829.8	61	292	15	255
46	-9.6	829.7	61	292	15	255
47	-9.6	829.6	61	292	15	255
48	-9.6	829.5	61	292	15	255
49	-9.6	829.4	61	292	15	255
50	-9.6	829.2	61	292	15	255
55	-9.7	828.7	60	291	14	256
60	-9.7	828.1	59	291	14	257
65	-9.8	827.6	58	290	14	257
70	-9.8	827.1	57	290	14	258
75	-9.8	826.5	57	289	14	258
80	-9.9	826.0	56	289	14	259
85	-9.9	825.4	55	288	14	260
90	-9.9	824.9	54	287	14	260
95	-10.0	824.4	53	287	14	261
100	-10.0	823.8	52	286	14	261
105	-10.0	823.3	51	286	13	262
110	-10.0	822.8	50	285	13	263
115	-10.0	822.2	49	285	13	263
120	-10.0	821.7	47	284	13	264
125	-10.0	821.2	45	283	13	264
130	-10.0	820.6	43	283	13	265
135	-10.0	820.1	41	282	13	265
140	-10.0	819.6	39	282	13	266
145	-9.9	819.0	37	282	13	266
150	-9.9	818.5	35	282	13	267
155	-9.9	818.0	34	282	13	267
160	-9.8	817.4	33	282	13	268
165	-9.8	816.9	31	282	13	268
170	-9.8	816.4	30	281	13	269
175	-9.7	815.8	29	281	13	269
180	-9.7	815.3	27	281	13	270
185	-9.7	814.8	26	281	12	270
190	-9.7	814.3	25	281	12	271
195	-9.7	813.7	24	281	12	272
200	-9.7	813.2	24	281	12	272
205	-9.7	812.7	24	282	12	273
210	-9.8	812.1	23	282	12	273
215	-9.8	811.6	23	282	12	274
220	-9.8	811.1	23	282	12	275
225	-9.8	810.6	22	282	12	275
230	-9.8	810.0	22	282	11	276
235	-9.9	809.5	22	282	11	277
240	-9.9	809.0	22	282	11	277

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-9.9	808.5	22	283	11	278
250	-10.0	807.9	21	283	11	279
255	-10.0	807.4	21	283	11	279
260	-10.0	806.9	21	283	11	280
265	-10.1	806.4	21	283	11	281
270	-10.1	805.8	21	283	11	281
275	-10.1	805.3	21	283	11	282
280	-10.1	804.8	21	284	11	283
285	-10.2	804.3	21	284	11	283
290	-10.2	803.7	21	284	11	284
295	-10.2	803.2	21	284	11	285
300	-10.3	802.7	21	284	11	285
305	-10.3	802.2	21	283	11	286
310	-10.4	801.6	21	283	11	287
315	-10.4	801.1	21	283	11	287
320	-10.4	800.6	21	283	10	288
325	-10.5	800.1	21	283	10	289
330	-10.5	799.6	21	283	10	289
335	-10.6	799.0	21	283	10	290
340	-10.6	798.5	21	283	10	291
345	-10.7	798.0	21	283	10	291
350	-10.7	797.5	21	283	10	292
355	-10.7	797.0	21	283	10	293
360	-10.8	796.4	21	283	10	293
365	-10.8	795.9	21	283	10	294
370	-10.9	795.4	21	283	10	295
375	-10.9	794.9	21	284	10	295
380	-10.9	794.4	21	284	9	296
385	-11.0	793.8	21	284	9	297
390	-11.0	793.3	21	283	9	297
395	-11.1	792.8	21	283	9	298
400	-11.1	792.3	21	283	9	299
405	-11.1	791.8	21	283	9	299
410	-11.2	791.3	21	282	9	300
415	-11.2	790.7	21	282	9	301
420	-11.3	790.2	21	282	9	301
425	-11.3	789.7	21	282	9	302
430	-11.4	789.2	21	281	9	303
435	-11.4	788.7	21	281	9	303
440	-11.4	788.2	21	280	9	304
445	-11.5	787.6	21	279	9	305
450	-11.5	787.1	21	278	9	305
455	-11.6	786.6	21	277	9	306
460	-11.6	786.1	22	276	9	307
465	-11.6	785.6	22	276	9	307

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-11.7	785.1	22	275	9	308
475	-11.7	784.6	22	274	9	309
480	-11.8	784.1	22	273	9	309
485	-11.8	783.5	22	272	9	310
490	-11.9	783.0	22	272	9	311
495	-11.9	782.5	22	272	9	311
500	-11.9	782.0	22	272	9	312
510	-12.0	781.0	22	272	9	313
520	-12.1	780.0	22	272	8	315
530	-12.2	778.9	22	272	8	316
540	-12.3	777.9	22	271	8	317
550	-12.4	776.9	22	271	8	319
560	-12.5	775.9	22	270	8	320
570	-12.6	774.9	22	269	8	321
580	-12.7	773.8	23	269	8	323
590	-12.8	772.8	23	267	8	324
600	-12.9	771.8	23	266	8	326
610	-13.0	770.8	23	264	8	327
620	-13.1	769.8	23	263	8	328
630	-13.2	768.8	23	261	8	330
640	-13.2	767.8	23	260	8	331
650	-13.3	766.7	23	258	8	332
660	-13.4	765.7	23	256	8	334
670	-13.5	764.7	23	255	8	335
680	-13.6	763.7	23	255	9	336
690	-13.7	762.7	23	255	9	338
700	-13.8	761.7	24	255	9	339
710	-13.8	760.7	24	255	9	340
720	-13.9	759.7	24	255	9	342
730	-14.0	758.7	24	254	9	343
740	-14.1	757.7	24	254	9	344
750	-14.2	756.7	25	253	9	346
760	-14.3	755.7	25	252	10	347
770	-14.4	754.7	25	251	10	349
780	-14.4	753.7	25	251	10	350
790	-14.5	752.7	25	250	10	351
800	-14.6	751.7	26	250	10	353
810	-14.7	750.7	26	249	10	354
820	-14.8	749.7	26	249	10	355
830	-14.9	748.7	26	249	10	357
840	-14.9	747.7	26	249	10	358
850	-15.0	746.7	26	249	10	359
860	-15.1	745.8	26	250	10	361
870	-15.2	744.8	26	251	10	362
880	-15.3	743.8	27	251	10	364

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-15.4	742.8	27	252	10	365
900	-15.5	741.8	27	253	10	366
910	-15.6	740.8	27	253	10	368
920	-15.7	739.8	27	253	10	369
930	-15.8	738.9	27	252	11	370
940	-15.9	737.9	27	252	11	372
950	-16.0	736.9	28	252	11	373
960	-16.1	735.9	28	252	11	374
970	-16.2	734.9	28	253	11	376
980	-16.3	734.0	28	253	11	377
990	-16.4	733.0	28	253	10	379
1000	-16.5	732.0	29	252	10	380
1050	-17.0	727.1	30	252	10	387
1100	-17.4	722.3	31	253	11	394
1150	-17.9	717.5	32	252	11	401
1200	-18.4	712.7	35	253	12	408
1250	-18.8	707.9	36	254	11	414
1300	-19.3	703.1	37	254	11	421
1350	-19.8	698.4	38	255	11	428
1400	-20.3	693.7	39	256	11	435
1450	-20.8	689.0	40	257	12	442
1500	-21.2	684.4	41	259	12	449
1550	-21.7	679.7	41	261	12	456
1600	-22.2	675.1	42	262	12	462
1650	-22.7	670.5	43	264	12	469
1700	-23.2	666.0	45	266	12	476
1750	-23.6	661.4	47	267	12	483
1800	-24.2	656.9	48	267	12	490
1850	-24.6	652.4	49	267	12	497
1900	-25.1	647.9	51	268	12	504
1950	-25.6	643.5	53	269	12	511
2000	-26.0	639.0	55	269	12	518
2050	-26.5	634.6	56	261	11	525
2100	-26.9	630.2	56	244	10	532
2150	-27.0	625.9	55	240	8	538
2200	-26.9	621.5	53	254	7	545
2250	-25.9	617.2	47	245	6	550
2300	-25.8	613.0	41	240	5	556
2350	-26.1	608.7	37	237	6	562
2400	-26.4	604.5	36	241	7	569
2450	-26.7	600.4	36	247	6	576
2500	-26.9	596.2	35	245	6	583
2550	-27.3	592.1	34	246	7	589
2600	-27.6	588.0	34	245	7	596
2650	-28.0	583.9	35	241	7	603

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-28.4	579.8	35	234	7	610
2750	-28.7	575.8	36	229	7	617
2800	-29.2	571.8	36	227	7	624
2850	-29.6	567.8	36	232	7	631
2900	-30.0	563.8	37	234	7	638
2950	-30.4	559.8	37	242	7	644
3000	-30.8	555.9	37	243	7	651
3050	-31.2	552.0	36	243	7	658
3100	-31.5	548.1	36	242	7	665
3150	-31.9	544.2	35	242	7	672
3200	-32.2	540.4	35	250	6	679
3250	-32.5	536.6	33	260	6	685
3300	-32.6	532.8	31	262	6	692
3350	-32.9	529.0	30	268	6	699
3400	-33.3	525.2	29	260	6	706
3450	-33.5	521.5	27	243	6	712
3500	-33.9	517.8	26	237	6	719
3550	-34.3	514.1	26	238	6	726
3600	-34.7	510.4	26	237	6	733
3650	-35.2	506.8	26	234	6	740
3700	-35.6	503.2	27	236	6	747
3750	-36.0	499.5	27	237	6	754
3800	-36.3	496.0	26	230	7	761
3850	-36.6	492.4	26	234	7	768
3900	-36.9	488.8	26	239	7	775
3950	-37.3	485.3	25	235	8	782
4000	-37.6	481.8	25	235	8	788
4050	-38.0	478.3	25	235	8	795
4100	-38.4	474.8	25	235	8	802
4150	-38.8	471.4	25	238	8	809
4200	-39.2	468.0	25	244	7	816
4250	-39.6	464.6	25	254	6	823
4300	-39.9	461.2	25	261	7	830
4350	-40.1	457.8	25	265	8	837
4400	-40.5	454.5	25	262	7	844
4450	-40.9	451.1	25	252	7	851
4500	-41.2	447.8	25	244	7	858
4550	-41.6	444.5	25	239	7	865
4600	-42.0	441.2	25	231	7	872
4650	-42.2	438.0	25	225	7	879
4700	-42.4	434.8	25	219	7	886
4750	-42.8	431.6	25	216	7	893
4800	-43.2	428.4	25	214	7	900
4850	-43.6	425.2	25	205	7	907
4900	-44.0	422.0	25	199	8	914

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-44.4	418.9	25	199	7	921
5000	-44.8	415.8	25	212	5	928
5100	-45.4	409.6	26	224	5	942
5200	-46.0	403.5	26	209	4	956
5300	-46.8	397.4	26	209	3	970
5400	-47.5	391.5	27	231	5	984
5500	-48.0	385.6	27	230	5	998
5600	-48.6	379.8	27	235	5	1012
5700	-49.2	374.0	27	236	6	1027
5800	-49.8	368.3	27	237	7	1041
5900	-50.6	362.7	27	238	7	1055
6000	-50.9	357.2	27	229	5	1069
6100	-51.3	351.8	26	181	4	1083
6200	-52.0	346.4	26	148	3	1097
6300	-52.4	341.1	26	141	4	1111
6400	-52.7	335.8	26	144	5	1125
6500	-53.5	330.6	26	133	6	1139
6600	-53.9	325.5	26	123	8	1153
6700	-54.5	320.5	27	118	7	1168
6800	-55.1	315.5	27	122	5	1182
6900	-55.2	310.6	27	145	5	1196
7000	-55.5	305.8	26	144	6	1210
7100	-55.4	301.0	25	134	6	1224
7200	-55.9	296.3	25	144	4	1238
7300	-56.3	291.7	24	192	2	1252
7400	-56.5	287.1	24	166	3	1267
7500	-56.8	282.6	22	234	1	1281
7600	-56.6	278.2	21	242	3	1295
7700	-56.1	273.9	20	239	5	1308
7800	-56.7	269.6	19	227	7	1323
7900	-57.0	265.4	18	219	7	1337
8000	-56.7	261.2	18	242	6	1351
8100	-57.0	257.1	17	244	7	1365
8200	-56.9	253.1	17	238	8	1380
8300	-56.7	249.1	16	248	7	1394
8400	-56.2	245.2	16	248	9	1408
8500	-56.3	241.4	15	244	9	1422
8600	-56.3	237.6	14	243	11	1436
8700	-56.2	233.9	13	241	8	1451
8800	-56.2	230.3	13	252	7	1465
8900	-56.0	226.7	12	257	7	1479
9000	-55.8	223.1	12	244	7	1494
9100	-55.9	219.7	11	263	6	1508
9200	-55.9	216.2	11	281	5	1522
9300	-56.4	212.9	10	279	5	1537

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-56.4	209.5	9	263	7	1552
9500	-56.4	206.3	9	288	5	1566
9600	-56.2	203.0	9	292	7	1581
9700	-55.9	199.9	8	249	6	1595
9800	-55.8	196.8	8	273	7	1609
9900	-55.8	193.7	7	281	7	1624
10000	-55.8	190.7	7	259	5	1639
10100	-55.5	187.7	7	277	5	1653
10200	-55.5	184.8	6	296	7	1668
10300	-55.6	181.9	6	288	7	1682
10400	-55.2	179.1	6	290	5	1697
10500	-54.7	176.3	5	305	7	1712
10600	-54.9	173.6	5	299	9	1726
10700	-55.0	170.9	5	275	7	1741
10800	-54.6	168.2	5	290	6	1756
10900	-54.5	165.6	4	289	6	1770
11000	-54.3	163.1	4	261	4	1785
11100	-54.1	160.5	4	042	1	1800
11200	-53.8	158.1	4	316	3	1815
11300	-53.8	155.6	3	301	4	1829
11400	-54.2	153.2	3	319	4	1844
11500	-54.5	150.8	3	351	2	1859
11600	-53.7	148.5	3	342	7	1874
11700	-53.5	146.2	3	331	4	1889
11800	-52.7	144.0	3	360	4	1903
11900	-52.3	141.8	2	009	7	1918
12000	-51.6	139.6	2	345	10	1933
12100	-51.4	137.5	2	357	10	1948
12200	-51.3	135.4	2	349	12	1963
12300	-51.2	133.3	2	346	10	1978
12400	-51.2	131.3	2	338	10	1993
12500	-51.5	129.3	2	355	6	2008
12600	-51.7	127.3	1	011	7	2023
12700	-51.7	125.3	1	012	10	2038
12800	-51.7	123.4	1	002	10	2053
12900	-52.0	121.5	1	351	9	2068
13000	-52.1	119.7	1	348	10	2083
13100	-51.8	117.9	1	343	9	2098
13200	-51.7	116.1	1	342	6	2113
13300	-51.4	114.3	1	014	6	2128
13400	-51.9	112.5	1	024	7	2143
13500	-51.9	110.8	1	011	10	2158
13600	-51.7	109.1	1	008	12	2174
13700	-51.4	107.5	1	352	13	2189
13800	-51.4	105.8	1	338	9	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-51.7	104.2	1	331	4	2219
14000	-51.5	102.6	1	065	2	2234
14100	-51.4	101.0	1	065	6	2249
14200	-51.6	99.5	1	038	11	2264
14300	-50.9	98.0	1	015	10	2279
14400	-50.0	96.5	1	015	10	2294
14500	-49.6	95.0	1	007	12	2310
14600	-49.8	93.6	1	003	10	2325
14700	-50.2	92.2	1	010	5	2340
14800	-49.8	90.8	1	047	7	2355
14900	-49.2	89.4	1	018	8	2370
15000	-49.4	88.1	1	013	4	2386
15100	-49.5	86.7	1	006	6	2401
15200	-49.2	85.4	1	035	5	2416
15300	-49.2	84.1	1	070	4	2431
15400	-48.9	82.9	1	068	5	2447
15500	-47.8	81.6	1	085	9	2462
15600	-46.8	80.4	1	078	9	2477
15700	-45.6	79.2	1	047	12	2492
15800	-45.0	78.0	1	026	11	2507
15900	-44.5	76.9	1	031	4	2522
16000	-43.6	75.7	1	062	7	2538
16100	-42.7	74.6	1	053	7	2553
16200	-42.2	73.5	1	040	9	2568
16300	-42.0	72.4	1	033	9	2584
16400	-42.1	71.4	1	056	6	2599
16500	-41.9	70.3	1	041	9	2614
16600	-41.7	69.3	1	035	8	2630
16700	-41.2	68.3	1	056	12	2645
16800	-40.2	67.3	1	048	17	2660
16900	-39.7	66.3	1	036	14	2675
17000	-39.4	65.4	1	025	12	2691
17100	-39.1	64.4	1	050	10	2706
17200	-38.0	63.5	1	034	10	2721
17300	-37.7	62.6	1	008	12	2737
17400	-37.5	61.7	1	007	8	2752
17500	-37.4	60.8	1	027	3	2768
17600	-37.2	59.9	1	106	4	2783
17700	-37.1	59.1	1	085	9	2798
17800	-36.1	58.2	1	084	12	2814
17900	-35.3	57.4	1	061	14	2829
18000	-34.9	56.6	1	062	13	2845
18100	-34.6	55.8	1	073	11	2860
18200	-34.7	55.0	1	063	12	2875
18300	-34.3	54.2	1	056	13	2891

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-33.9	53.4	1	072	10	2906
18500	-33.8	52.7	1	041	10	2922
18600	-33.5	52.0	1	037	10	2937
18700	-33.2	51.2	1	039	7	2953
18800	-33.3	50.5	1	037	9	2968
18900	-33.1	49.8	1	043	9	2983
19000	-32.9	49.1	1	070	12	2999
19100	-32.7	48.4	1	058	14	3014
19200	-32.6	47.7	1	051	14	3030
19300	-32.9	47.0	1	050	10	3045
19400	-32.9	46.4	1	064	11	3061
19500	-32.8	45.7	1	055	16	3076
19600	-33.1	45.1	1	036	15	3092
19700	-32.8	44.5	1	016	13	3107
19800	-32.5	43.8	1	028	11	3123
19900	-31.9	43.2	1	032	9	3138
20000	-31.4	42.6	1	041	8	3154
20100	-31.3	42.0	2	078	11	3169
20200	-31.6	41.4	1	088	13	3185
20300	-31.7	40.8	1	093	19	3200
20400	-31.7	40.3	1	087	24	3216
20500	-31.4	39.7	1	087	22	3231
20600	-31.3	39.2	1	064	26	3247
20700	-31.6	38.6	1	057	25	3262
20800	-31.9	38.1	1	057	17	3278
20900	-31.7	37.5	1	056	23	3293
21000	-31.9	37.0	1	051	23	3309
21100	-31.8	36.5	1	047	21	3325
21200	-31.7	36.0	1	039	19	3340
21300	-31.3	35.5	1	024	21	3356
21400	-30.9	35.0	1	014	16	3371
21500	-30.5	34.5	1	006	8	3387
21600	-30.4	34.0	1	029	4	3402
21700	-30.4	33.5	1	064	6	3418
21800	-30.9	33.1	1	086	11	3433
21900	-31.2	32.6	1	080	13	3449
22000	-31.3	32.2	1	071	15	3464
22100	-31.4	31.7	1	068	17	3480
22200	-31.1	31.3	1	058	14	3496
22300	-31.0	30.8	1	064	15	3511
22400	-30.4	30.4	1	062	11	3527
22500	-30.0	30.0	1	070	12	3542
22600	-29.9	29.6	1	078	11	3558
22700	-29.9	29.2	1	073	14	3573
22800	-30.0	28.8	1	078	14	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-30.2	28.4	1	076	15	3604
23000	-30.4	28.0	1	080	15	3620
23100	-30.6	27.6	1	088	15	3636
23200	-30.8	27.2	1	084	19	3651
23300	-31.1	26.8	1	081	19	3667
23400	-30.7	26.4	1	070	20	3682
23500	-30.6	26.1	1	065	18	3698
23600	-30.3	25.7	1	053	20	3713
23700	-30.3	25.3	1	044	21	3729
23800	-29.9	25.0	1	059	14	3745
23900	-29.7	24.6	1	080	14	3760
24000	-29.6	24.3	1	082	11	3776
24100	-29.7	24.0	1	082	8	3791
24200	-29.8	23.6	1	091	12	3807
24300	-29.9	23.3	1	095	20	3823
24400	-30.0	23.0	1	085	17	3838
24500	-29.8	22.7	1	095	15	3854
24600	-29.6	22.4	1	101	19	3869
24700	-29.3	22.0	1	083	19	3885
24800	-29.4	21.7	1	067	18	3901
24900	-29.3	21.4	1	064	12	3916
25000	-28.9	21.1	1	081	11	3932
25100	-29.2	20.8	1	098	12	3947
25200	-29.4	20.6	1	106	12	3963
25300	-29.8	20.3	1	091	15	3979
25400	-30.2	20.0	1	084	19	3994
25500	-30.3	19.7	1	085	17	4010
25600	-30.1	19.4	1	085	19	4025
25700	-30.2	19.2	1	079	16	4041
25800	-29.5	18.9	1	087	11	4057
25900	-28.7	18.6	1	087	16	4072
26000	-28.5	18.4	1	085	23	4088
26100	-28.5	18.1	1	070	19	4104
26200	-28.1	17.9	1	054	25	4119
26300	-27.9	17.6	1	065	19	4135
26400	-27.4	17.4	1	047	14	4150
26500	-27.3	17.2	1	039	17	4166
26600	-27.2	16.9	1	040	18	4182
26700	-26.8	16.7	1	030	17	4197
26800	-26.3	16.5	1	051	13	4213
26900	-25.6	16.2	1	086	14	4228
27000	-25.0	16.0	1	073	19	4244
27100	-24.9	15.8	1	070	21	4260
27200	-24.6	15.6	1	080	21	4275
27300	-24.9	15.4	1	074	22	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-24.9	15.2	1	063	22	4307
27500	-24.6	15.0	1	072	19	4322
27600	-24.4	14.8	1	060	16	4338
27700	-24.2	14.6	1	060	17	4354
27800	-24.3	14.4	1	072	13	4369
27900	-24.2	14.2	1	094	12	4385
28000	-23.9	14.0	1	090	15	4400
28100	-23.7	13.8	1	077	23	4416
28200	-23.8	13.6	1	074	27	4432
28300	-23.5	13.4	1	077	17	4447
28400	-23.6	13.2	1	066	21	4463
28500	-23.7	13.1	1	057	19	4479
28600	-23.3	12.9	1	066	14	4494
28700	-22.8	12.7	1	061	18	4510
28800	-22.8	12.5	1	080	5	4526
28900	-22.9	12.4	1	081	15	4541
29000	-23.4	12.2	1	064	13	4557
29100	-23.1	12.0	1	074	18	4573
29200	-23.5	11.9	1	071	17	4588
29300	-23.6	11.7	1	--	--	4604
29400	-23.6	11.6	1	--	--	4619
29500	-23.8	11.4	1	082	22	4635
29600	-24.1	11.2	1	099	14	4651
29700	-23.2	11.1	1	082	13	4666
29800	-22.8	10.9	1	--	--	4682
29900	-21.6	10.8	1	--	--	4698
30000	-20.6	10.7	1	--	--	4713
30100	-21.4	10.5	1	--	--	4729
30200	-20.7	10.4	1	--	--	4745
30300	-19.8	10.2	1	111	13	4760
30400	-19.2	10.1	1	116	18	4776
30500	-18.7	10.0	1	105	22	4792
30600	-18.4	9.8	1	114	24	4807
30700	-17.3	9.7	1	107	31	4823
30800	-17.1	9.6	1	110	32	4839
30900	-16.9	9.4	1	097	32	4854
31000	-16.5	9.3	1	092	32	4870
31100	-15.9	9.2	1	094	32	4886
31200	-14.7	9.1	1	096	28	4901