

Altitude Report:

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|-----|
| 1 | -6.4 | 820.9 | 49 | 070 | 13 | 242 |
| 2 | -6.4 | 820.8 | 49 | 070 | 14 | 242 |
| 3 | -6.3 | 820.7 | 48 | 071 | 14 | 242 |
| 4 | -6.3 | 820.6 | 48 | 071 | 14 | 242 |
| 5 | -6.2 | 820.5 | 47 | 071 | 14 | 242 |
| 6 | -6.2 | 820.4 | 47 | 072 | 14 | 242 |
| 7 | -6.1 | 820.3 | 46 | 072 | 15 | 242 |
| 8 | -6.1 | 820.2 | 46 | 073 | 15 | 242 |
| 9 | -6.0 | 820.1 | 45 | 073 | 15 | 242 |
| 10 | -5.9 | 820.0 | 45 | 074 | 15 | 242 |
| 11 | -5.9 | 819.8 | 44 | 074 | 15 | 242 |
| 12 | -5.8 | 819.7 | 44 | 074 | 16 | 242 |
| 13 | -5.8 | 819.6 | 43 | 075 | 16 | 242 |
| 14 | -5.7 | 819.5 | 43 | 075 | 16 | 242 |
| 15 | -5.7 | 819.4 | 42 | 075 | 16 | 242 |
| 16 | -5.6 | 819.3 | 42 | 076 | 16 | 242 |
| 17 | -5.6 | 819.2 | 41 | 076 | 17 | 242 |
| 18 | -5.5 | 819.1 | 41 | 076 | 17 | 242 |
| 19 | -5.5 | 819.0 | 40 | 077 | 17 | 243 |
| 20 | -5.4 | 818.9 | 40 | 077 | 17 | 243 |
| 21 | -5.3 | 818.8 | 39 | 077 | 17 | 243 |
| 22 | -5.3 | 818.7 | 39 | 078 | 18 | 243 |
| 23 | -5.2 | 818.6 | 38 | 078 | 18 | 243 |
| 24 | -5.2 | 818.5 | 38 | 078 | 18 | 243 |
| 25 | -5.1 | 818.4 | 37 | 079 | 18 | 243 |
| 26 | -5.1 | 818.3 | 37 | 079 | 19 | 243 |
| 27 | -5.0 | 818.2 | 36 | 079 | 19 | 243 |
| 28 | -5.0 | 818.1 | 36 | 079 | 19 | 243 |
| 29 | -4.9 | 818.0 | 35 | 080 | 19 | 243 |
| 30 | -4.8 | 817.9 | 35 | 080 | 19 | 243 |
| 31 | -4.8 | 817.8 | 34 | 080 | 20 | 243 |
| 32 | -4.7 | 817.6 | 34 | 080 | 20 | 243 |
| 33 | -4.7 | 817.5 | 33 | 081 | 20 | 243 |
| 34 | -4.6 | 817.4 | 33 | 081 | 20 | 243 |
| 35 | -4.6 | 817.3 | 32 | 081 | 20 | 243 |
| 36 | -4.5 | 817.2 | 32 | 081 | 21 | 243 |
| 37 | -4.5 | 817.1 | 31 | 081 | 21 | 243 |
| 38 | -4.4 | 817.0 | 31 | 082 | 21 | 243 |
| 39 | -4.3 | 816.9 | 30 | 082 | 21 | 244 |
| 40 | -4.3 | 816.8 | 30 | 082 | 22 | 244 |
| 41 | -4.2 | 816.7 | 29 | 082 | 22 | 244 |
| 42 | -4.2 | 816.6 | 29 | 082 | 22 | 244 |
| 43 | -4.1 | 816.5 | 28 | 083 | 22 | 244 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|-----|
| 44 | -4.1 | 816.4 | 28 | 083 | 22 | 244 |
| 45 | -4.0 | 816.3 | 27 | 083 | 23 | 244 |
| 46 | -4.0 | 816.2 | 27 | 083 | 23 | 244 |
| 47 | -3.9 | 816.1 | 26 | 083 | 23 | 244 |
| 48 | -3.9 | 816.0 | 26 | 084 | 23 | 244 |
| 49 | -3.8 | 815.9 | 25 | 084 | 23 | 244 |
| 50 | -3.7 | 815.8 | 25 | 084 | 23 | 244 |
| 55 | -3.5 | 815.3 | 22 | 084 | 23 | 244 |
| 60 | -3.2 | 814.7 | 20 | 084 | 24 | 245 |
| 65 | -2.9 | 814.2 | 20 | 085 | 24 | 245 |
| 70 | -2.6 | 813.7 | 20 | 085 | 24 | 245 |
| 75 | -2.4 | 813.1 | 20 | 085 | 24 | 246 |
| 80 | -2.1 | 812.6 | 20 | 085 | 24 | 246 |
| 85 | -1.9 | 812.1 | 20 | 086 | 24 | 247 |
| 90 | -1.6 | 811.7 | 19 | 086 | 24 | 247 |
| 95 | -1.4 | 811.1 | 19 | 086 | 24 | 247 |
| 100 | -1.1 | 810.6 | 19 | 087 | 25 | 248 |
| 105 | -0.9 | 810.1 | 19 | 087 | 25 | 248 |
| 110 | -0.6 | 809.6 | 19 | 087 | 25 | 249 |
| 115 | -0.4 | 809.1 | 19 | 087 | 25 | 249 |
| 120 | -0.1 | 808.6 | 19 | 088 | 25 | 250 |
| 125 | 0.2 | 808.1 | 18 | 088 | 25 | 250 |
| 130 | 0.4 | 807.6 | 19 | 088 | 25 | 250 |
| 135 | 0.7 | 807.1 | 19 | 088 | 25 | 251 |
| 140 | 0.9 | 806.6 | 19 | 089 | 26 | 251 |
| 145 | 1.2 | 806.1 | 19 | 089 | 26 | 252 |
| 150 | 1.4 | 805.6 | 19 | 089 | 26 | 252 |
| 155 | 1.7 | 805.1 | 19 | 089 | 26 | 253 |
| 160 | 1.9 | 804.6 | 19 | 089 | 26 | 253 |
| 165 | 2.2 | 804.1 | 19 | 090 | 26 | 253 |
| 170 | 2.1 | 803.6 | 19 | 090 | 26 | 254 |
| 175 | 1.9 | 803.1 | 19 | 090 | 26 | 255 |
| 180 | 1.8 | 802.6 | 20 | 090 | 26 | 256 |
| 185 | 1.7 | 802.1 | 20 | 091 | 26 | 256 |
| 190 | 1.6 | 801.6 | 20 | 091 | 26 | 257 |
| 195 | 1.5 | 801.1 | 20 | 091 | 26 | 258 |
| 200 | 1.3 | 800.6 | 20 | 091 | 26 | 259 |
| 205 | 1.2 | 800.1 | 20 | 091 | 26 | 259 |
| 210 | 1.1 | 799.6 | 20 | 092 | 26 | 260 |
| 215 | 1.0 | 799.1 | 20 | 092 | 26 | 261 |
| 220 | 0.9 | 798.6 | 20 | 092 | 26 | 262 |
| 225 | 0.8 | 798.1 | 20 | 092 | 26 | 262 |
| 230 | 0.8 | 797.6 | 21 | 092 | 26 | 263 |
| 235 | 0.7 | 797.1 | 21 | 093 | 26 | 264 |
| 240 | 0.6 | 796.6 | 21 | 093 | 26 | 265 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|-----|
| 245 | 0.5 | 796.1 | 21 | 093 | 26 | 265 |
| 250 | 0.4 | 795.6 | 21 | 093 | 26 | 266 |
| 255 | 0.4 | 795.1 | 21 | 093 | 26 | 267 |
| 260 | 0.3 | 794.6 | 21 | 094 | 26 | 267 |
| 265 | 0.2 | 794.1 | 21 | 094 | 26 | 268 |
| 270 | 0.1 | 793.6 | 21 | 094 | 26 | 269 |
| 275 | 0.1 | 793.1 | 22 | 094 | 26 | 270 |
| 280 | 0.0 | 792.6 | 22 | 094 | 26 | 270 |
| 285 | -0.1 | 792.1 | 22 | 094 | 26 | 271 |
| 290 | -0.2 | 791.6 | 22 | 094 | 26 | 272 |
| 295 | -0.3 | 791.1 | 22 | 094 | 26 | 272 |
| 300 | -0.3 | 790.6 | 22 | 094 | 26 | 273 |
| 305 | -0.4 | 790.1 | 22 | 094 | 26 | 274 |
| 310 | -0.5 | 789.6 | 22 | 094 | 26 | 275 |
| 315 | -0.6 | 789.1 | 22 | 094 | 26 | 275 |
| 320 | -0.7 | 788.7 | 22 | 094 | 26 | 276 |
| 325 | -0.8 | 788.2 | 22 | 094 | 26 | 277 |
| 330 | -0.8 | 787.7 | 22 | 094 | 26 | 277 |
| 335 | -0.9 | 787.2 | 22 | 094 | 26 | 278 |
| 340 | -1.0 | 786.7 | 23 | 094 | 26 | 279 |
| 345 | -1.1 | 786.2 | 23 | 094 | 26 | 280 |
| 350 | -1.2 | 785.7 | 23 | 094 | 26 | 280 |
| 355 | -1.3 | 785.2 | 23 | 094 | 26 | 281 |
| 360 | -1.3 | 784.7 | 23 | 094 | 26 | 282 |
| 365 | -1.4 | 784.2 | 23 | 094 | 26 | 282 |
| 370 | -1.5 | 783.7 | 23 | 094 | 26 | 283 |
| 375 | -1.6 | 783.2 | 23 | 094 | 26 | 284 |
| 380 | -1.7 | 782.7 | 23 | 094 | 26 | 285 |
| 385 | -1.8 | 782.2 | 23 | 095 | 26 | 285 |
| 390 | -1.9 | 781.7 | 23 | 095 | 26 | 286 |
| 395 | -2.0 | 781.2 | 23 | 095 | 26 | 287 |
| 400 | -2.1 | 780.8 | 23 | 095 | 26 | 287 |
| 405 | -2.2 | 780.3 | 23 | 096 | 26 | 288 |
| 410 | -2.3 | 779.8 | 24 | 096 | 26 | 289 |
| 415 | -2.4 | 779.3 | 24 | 096 | 26 | 290 |
| 420 | -2.5 | 778.8 | 24 | 097 | 26 | 290 |
| 425 | -2.7 | 778.3 | 24 | 097 | 26 | 291 |
| 430 | -2.8 | 777.8 | 24 | 097 | 26 | 292 |
| 435 | -2.9 | 777.3 | 24 | 098 | 26 | 293 |
| 440 | -3.0 | 776.8 | 24 | 098 | 26 | 293 |
| 445 | -3.1 | 776.3 | 25 | 098 | 26 | 294 |
| 450 | -3.2 | 775.8 | 25 | 099 | 26 | 295 |
| 455 | -3.4 | 775.3 | 25 | 099 | 26 | 296 |
| 460 | -3.5 | 774.8 | 25 | 099 | 26 | 296 |
| 465 | -3.6 | 774.4 | 25 | 100 | 26 | 297 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|-----|
| 470 | -3.7 | 773.9 | 25 | 100 | 26 | 298 |
| 475 | -3.8 | 773.4 | 26 | 100 | 26 | 299 |
| 480 | -3.8 | 772.9 | 26 | 100 | 26 | 299 |
| 485 | -3.8 | 772.4 | 26 | 101 | 26 | 300 |
| 490 | -3.8 | 771.9 | 26 | 101 | 26 | 301 |
| 495 | -3.9 | 771.4 | 26 | 101 | 26 | 301 |
| 500 | -3.9 | 770.9 | 26 | 102 | 26 | 302 |
| 510 | -3.9 | 769.9 | 26 | 102 | 26 | 303 |
| 520 | -4.0 | 769.0 | 27 | 102 | 26 | 305 |
| 530 | -4.0 | 768.0 | 27 | 102 | 26 | 306 |
| 540 | -4.0 | 767.0 | 27 | 103 | 26 | 307 |
| 550 | -4.1 | 766.0 | 27 | 103 | 26 | 309 |
| 560 | -4.1 | 765.1 | 28 | 103 | 25 | 310 |
| 570 | -4.2 | 764.1 | 28 | 103 | 25 | 311 |
| 580 | -4.2 | 763.1 | 28 | 104 | 25 | 313 |
| 590 | -4.2 | 762.2 | 28 | 104 | 25 | 314 |
| 600 | -4.3 | 761.2 | 28 | 104 | 25 | 315 |
| 610 | -4.3 | 760.2 | 29 | 104 | 25 | 317 |
| 620 | -4.4 | 759.2 | 29 | 104 | 25 | 318 |
| 630 | -4.4 | 758.3 | 29 | 103 | 25 | 319 |
| 640 | -4.5 | 757.3 | 29 | 102 | 24 | 321 |
| 650 | -4.6 | 756.4 | 29 | 101 | 24 | 322 |
| 660 | -4.7 | 755.4 | 29 | 101 | 24 | 323 |
| 670 | -4.8 | 754.4 | 30 | 100 | 24 | 325 |
| 680 | -4.9 | 753.5 | 30 | 099 | 24 | 326 |
| 690 | -5.1 | 752.5 | 30 | 098 | 23 | 328 |
| 700 | -5.2 | 751.5 | 30 | 097 | 23 | 329 |
| 710 | -5.3 | 750.6 | 30 | 097 | 23 | 331 |
| 720 | -5.4 | 749.6 | 30 | 096 | 23 | 332 |
| 730 | -5.6 | 748.6 | 31 | 096 | 23 | 333 |
| 740 | -5.6 | 747.7 | 31 | 097 | 23 | 335 |
| 750 | -5.7 | 746.7 | 31 | 098 | 23 | 336 |
| 760 | -5.8 | 745.8 | 31 | 099 | 23 | 337 |
| 770 | -5.9 | 744.8 | 31 | 100 | 23 | 339 |
| 780 | -6.0 | 743.9 | 31 | 101 | 23 | 340 |
| 790 | -6.1 | 742.9 | 32 | 101 | 23 | 342 |
| 800 | -6.1 | 742.0 | 32 | 102 | 23 | 343 |
| 810 | -6.2 | 741.0 | 32 | 103 | 23 | 344 |
| 820 | -6.3 | 740.1 | 32 | 104 | 23 | 346 |
| 830 | -6.3 | 739.1 | 32 | 105 | 23 | 347 |
| 840 | -6.4 | 738.2 | 32 | 106 | 23 | 348 |
| 850 | -6.4 | 737.3 | 33 | 106 | 22 | 350 |
| 860 | -6.4 | 736.3 | 33 | 106 | 22 | 351 |
| 870 | -6.5 | 735.4 | 33 | 105 | 22 | 352 |
| 880 | -6.5 | 734.4 | 33 | 105 | 21 | 354 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|-----|
| 890 | -6.6 | 733.5 | 33 | 105 | 21 | 355 |
| 900 | -6.6 | 732.5 | 33 | 105 | 21 | 356 |
| 910 | -6.7 | 731.6 | 33 | 105 | 20 | 358 |
| 920 | -6.7 | 730.7 | 33 | 104 | 20 | 359 |
| 930 | -6.8 | 729.7 | 34 | 104 | 20 | 360 |
| 940 | -6.8 | 728.8 | 34 | 104 | 19 | 362 |
| 950 | -6.9 | 727.9 | 34 | 104 | 19 | 363 |
| 960 | -7.0 | 726.9 | 34 | 103 | 19 | 364 |
| 970 | -7.0 | 726.0 | 34 | 104 | 19 | 366 |
| 980 | -7.1 | 725.1 | 34 | 105 | 19 | 367 |
| 990 | -7.2 | 724.1 | 34 | 105 | 19 | 368 |
| 1000 | -7.2 | 723.2 | 34 | 106 | 19 | 370 |
| 1050 | -7.3 | 718.6 | 34 | 109 | 19 | 376 |
| 1100 | -7.5 | 713.9 | 34 | 112 | 20 | 383 |
| 1150 | -7.9 | 709.4 | 34 | 113 | 21 | 390 |
| 1200 | -8.3 | 704.8 | 34 | 113 | 23 | 397 |
| 1250 | -8.6 | 700.3 | 34 | 112 | 24 | 403 |
| 1300 | -9.0 | 695.8 | 35 | 110 | 24 | 410 |
| 1350 | -9.4 | 691.2 | 36 | 108 | 23 | 417 |
| 1400 | -9.8 | 686.8 | 36 | 105 | 22 | 424 |
| 1450 | -10.2 | 682.3 | 37 | 105 | 22 | 431 |
| 1500 | -10.7 | 677.9 | 38 | 105 | 23 | 438 |
| 1550 | -11.6 | 673.5 | 39 | 101 | 22 | 445 |
| 1600 | -12.0 | 669.1 | 41 | 097 | 21 | 452 |
| 1650 | -12.3 | 664.7 | 43 | 097 | 21 | 459 |
| 1700 | -13.0 | 660.3 | 43 | 099 | 22 | 466 |
| 1750 | -13.8 | 656.0 | 43 | 104 | 24 | 473 |
| 1800 | -14.4 | 651.7 | 43 | 106 | 26 | 480 |
| 1850 | -14.7 | 647.4 | 43 | 102 | 27 | 487 |
| 1900 | -14.9 | 643.2 | 42 | 098 | 29 | 494 |
| 1950 | -14.8 | 638.9 | 39 | 094 | 30 | 500 |
| 2000 | -14.7 | 634.8 | 35 | 091 | 30 | 507 |
| 2050 | -14.5 | 630.5 | 31 | 087 | 31 | 513 |
| 2100 | -14.6 | 626.4 | 28 | 086 | 29 | 519 |
| 2150 | -14.3 | 622.2 | 26 | 087 | 26 | 526 |
| 2200 | -14.0 | 618.1 | 25 | 084 | 24 | 532 |
| 2250 | -14.1 | 614.1 | 24 | 081 | 24 | 539 |
| 2300 | -15.6 | 610.0 | 21 | 077 | 23 | 546 |
| 2350 | -15.9 | 606.0 | 19 | 074 | 21 | 553 |
| 2400 | -15.8 | 602.0 | 18 | 074 | 19 | 559 |
| 2450 | -15.6 | 598.0 | 17 | 074 | 18 | 566 |
| 2500 | -15.4 | 594.0 | 17 | 073 | 17 | 572 |
| 2550 | -16.2 | 590.1 | 15 | 073 | 15 | 579 |
| 2600 | -15.5 | 586.2 | 15 | 072 | 14 | 586 |
| 2650 | -16.3 | 582.3 | 15 | 072 | 15 | 593 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|-----|
| 2700 | -16.6 | 578.4 | 15 | 076 | 15 | 600 |
| 2750 | -16.9 | 574.6 | 15 | 078 | 16 | 607 |
| 2800 | -17.9 | 570.8 | 15 | 076 | 16 | 614 |
| 2850 | -18.2 | 566.9 | 16 | 073 | 15 | 621 |
| 2900 | -18.1 | 563.1 | 16 | 071 | 15 | 628 |
| 2950 | -18.1 | 559.4 | 16 | 069 | 15 | 634 |
| 3000 | -18.5 | 555.6 | 16 | 068 | 16 | 641 |
| 3050 | -18.7 | 551.9 | 16 | 068 | 16 | 648 |
| 3100 | -18.8 | 548.2 | 16 | 067 | 16 | 655 |
| 3150 | -19.4 | 544.6 | 16 | 064 | 18 | 662 |
| 3200 | -19.4 | 540.9 | 16 | 061 | 19 | 669 |
| 3250 | -19.9 | 537.3 | 16 | 060 | 20 | 676 |
| 3300 | -20.9 | 533.6 | 16 | 060 | 21 | 683 |
| 3350 | -22.0 | 530.0 | 16 | 060 | 21 | 691 |
| 3400 | -21.1 | 526.4 | 17 | 060 | 20 | 697 |
| 3450 | -20.6 | 522.9 | 17 | 060 | 20 | 703 |
| 3500 | -20.7 | 519.3 | 18 | 064 | 19 | 710 |
| 3550 | -21.4 | 515.8 | 18 | 067 | 19 | 717 |
| 3600 | -22.3 | 512.3 | 19 | 072 | 18 | 725 |
| 3650 | -22.5 | 508.9 | 18 | 076 | 17 | 732 |
| 3700 | -22.5 | 505.4 | 16 | 079 | 18 | 738 |
| 3750 | -22.9 | 502.0 | 14 | 077 | 18 | 745 |
| 3800 | -24.2 | 498.5 | 14 | 074 | 18 | 753 |
| 3850 | -24.2 | 495.1 | 15 | 075 | 19 | 760 |
| 3900 | -24.5 | 491.7 | 16 | 077 | 19 | 767 |
| 3950 | -24.9 | 488.4 | 16 | 078 | 18 | 774 |
| 4000 | -25.3 | 485.0 | 16 | 073 | 18 | 781 |
| 4050 | -25.5 | 481.7 | 16 | 067 | 17 | 788 |
| 4100 | -25.5 | 478.4 | 17 | 061 | 16 | 795 |
| 4150 | -25.9 | 475.1 | 18 | 062 | 16 | 802 |
| 4200 | -27.2 | 471.8 | 18 | 059 | 16 | 809 |
| 4250 | -27.8 | 468.5 | 18 | 058 | 17 | 817 |
| 4300 | -28.2 | 465.3 | 18 | 059 | 17 | 824 |
| 4350 | -28.8 | 462.0 | 17 | 059 | 16 | 831 |
| 4400 | -29.3 | 458.8 | 17 | 057 | 15 | 838 |
| 4450 | -28.9 | 455.6 | 17 | 054 | 13 | 844 |
| 4500 | -29.6 | 452.4 | 16 | 057 | 11 | 852 |
| 4550 | -30.1 | 449.2 | 16 | 064 | 9 | 859 |
| 4600 | -30.7 | 446.1 | 15 | 064 | 9 | 866 |
| 4650 | -30.6 | 443.0 | 15 | 059 | 10 | 873 |
| 4700 | -29.7 | 439.9 | 15 | 060 | 10 | 879 |
| 4750 | -30.2 | 436.8 | 14 | 054 | 11 | 886 |
| 4800 | -30.4 | 433.7 | 14 | 053 | 11 | 893 |
| 4850 | -31.7 | 430.7 | 14 | 052 | 11 | 901 |
| 4900 | -31.0 | 427.6 | 13 | 053 | 12 | 907 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|------|
| 4950 | -31.4 | 424.6 | 13 | 056 | 12 | 914 |
| 5000 | -32.3 | 421.6 | 14 | 055 | 12 | 922 |
| 5100 | -33.4 | 415.7 | 14 | 051 | 12 | 936 |
| 5200 | -34.2 | 409.8 | 15 | 047 | 13 | 950 |
| 5300 | -34.4 | 403.9 | 14 | 041 | 14 | 964 |
| 5400 | -36.2 | 398.2 | 14 | 045 | 14 | 979 |
| 5500 | -35.9 | 392.5 | 14 | 048 | 13 | 993 |
| 5600 | -37.1 | 386.8 | 14 | 047 | 14 | 1007 |
| 5700 | -38.4 | 381.3 | 14 | 050 | 15 | 1022 |
| 5800 | -38.9 | 375.7 | 13 | 052 | 13 | 1036 |
| 5900 | -38.7 | 370.3 | 13 | 061 | 16 | 1050 |
| 6000 | -40.8 | 364.9 | 13 | 062 | 15 | 1065 |
| 6100 | -40.8 | 359.6 | 13 | 069 | 17 | 1079 |
| 6200 | -40.2 | 354.4 | 12 | 074 | 16 | 1092 |
| 6300 | -41.5 | 349.2 | 12 | 072 | 18 | 1107 |
| 6400 | -42.2 | 344.1 | 12 | 067 | 15 | 1121 |
| 6500 | -43.4 | 339.0 | 12 | 066 | 16 | 1136 |
| 6600 | -43.1 | 334.0 | 11 | 072 | 16 | 1150 |
| 6700 | -43.7 | 329.1 | 11 | 069 | 19 | 1164 |
| 6800 | -45.4 | 324.2 | 11 | 072 | 18 | 1179 |
| 6900 | -44.9 | 319.4 | 10 | 074 | 18 | 1193 |
| 7000 | -44.9 | 314.6 | 10 | 066 | 17 | 1207 |
| 7100 | -46.2 | 309.9 | 10 | 072 | 15 | 1221 |
| 7200 | -47.2 | 305.3 | 10 | 078 | 16 | 1236 |
| 7300 | -46.4 | 300.7 | 8 | 069 | 15 | 1250 |
| 7400 | -45.5 | 296.3 | 8 | 074 | 13 | 1263 |
| 7500 | -44.5 | 291.9 | 7 | 088 | 15 | 1277 |
| 7600 | -45.4 | 287.5 | 7 | 086 | 15 | 1292 |
| 7700 | -48.2 | 283.2 | 6 | 094 | 11 | 1307 |
| 7800 | -47.6 | 278.9 | 6 | 083 | 10 | 1321 |
| 7900 | -47.7 | 274.7 | 6 | 077 | 18 | 1335 |
| 8000 | -48.6 | 270.6 | 5 | 078 | 19 | 1350 |
| 8100 | -47.9 | 266.5 | 5 | 083 | 16 | 1364 |
| 8200 | -48.4 | 262.5 | 5 | 073 | 13 | 1378 |
| 8300 | -49.2 | 258.5 | 4 | 067 | 9 | 1393 |
| 8400 | -49.2 | 254.6 | 4 | 083 | 6 | 1407 |
| 8500 | -49.0 | 250.8 | 4 | 044 | 9 | 1422 |
| 8600 | -49.4 | 247.0 | 3 | 056 | 8 | 1436 |
| 8700 | -48.3 | 243.2 | 3 | 061 | 11 | 1450 |
| 8800 | -45.4 | 239.6 | 3 | 073 | 10 | 1463 |
| 8900 | -48.9 | 236.0 | 3 | 073 | 13 | 1479 |
| 9000 | -50.1 | 232.4 | 2 | 065 | 15 | 1494 |
| 9100 | -49.4 | 228.9 | 2 | 057 | 17 | 1508 |
| 9200 | -49.8 | 225.4 | 2 | 068 | 7 | 1523 |
| 9300 | -50.2 | 222.0 | 2 | 083 | 8 | 1538 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|------|
| 9400 | -49.2 | 218.6 | 2 | 085 | 6 | 1552 |
| 9500 | -48.9 | 215.3 | 2 | 062 | 10 | 1566 |
| 9600 | -50.0 | 212.1 | 2 | 044 | 13 | 1581 |
| 9700 | -49.7 | 208.9 | 2 | 052 | 15 | 1596 |
| 9800 | -49.1 | 205.7 | 1 | 045 | 15 | 1610 |
| 9900 | -49.0 | 202.6 | 1 | 029 | 12 | 1625 |
| 10000 | -49.2 | 199.5 | 1 | 046 | 9 | 1639 |
| 10100 | -48.6 | 196.5 | 1 | 063 | 12 | 1654 |
| 10200 | -46.6 | 193.6 | 1 | 041 | 14 | 1668 |
| 10300 | -47.6 | 190.7 | 1 | 041 | 13 | 1683 |
| 10400 | -48.1 | 187.8 | 1 | 051 | 14 | 1698 |
| 10500 | -48.6 | 185.0 | 1 | 048 | 12 | 1713 |
| 10600 | -46.9 | 182.2 | 1 | 054 | 9 | 1727 |
| 10700 | -47.1 | 179.5 | 1 | 067 | 5 | 1742 |
| 10800 | -47.1 | 176.8 | 1 | 082 | 9 | 1756 |
| 10900 | -48.3 | 174.1 | 1 | 043 | 9 | 1771 |
| 11000 | -48.4 | 171.5 | 1 | 005 | 8 | 1786 |
| 11100 | -46.9 | 168.9 | 1 | 010 | 11 | 1801 |
| 11200 | -47.4 | 166.4 | 1 | 029 | 12 | 1816 |
| 11300 | -47.9 | 163.9 | 1 | 033 | 10 | 1831 |
| 11400 | -45.8 | 161.4 | 1 | 001 | 9 | 1845 |
| 11500 | -46.3 | 159.0 | 1 | 355 | 6 | 1860 |
| 11600 | -46.2 | 156.7 | 1 | 004 | 4 | 1875 |
| 11700 | -44.6 | 154.3 | 1 | 015 | 5 | 1889 |
| 11800 | -45.2 | 152.1 | 1 | 017 | 6 | 1904 |
| 11900 | -46.9 | 149.8 | 1 | 354 | 11 | 1920 |
| 12000 | -46.5 | 147.5 | 1 | 350 | 10 | 1935 |
| 12100 | -45.7 | 145.3 | 1 | 007 | 5 | 1949 |
| 12200 | -44.3 | 143.2 | 1 | 324 | 2 | 1964 |
| 12300 | -45.1 | 141.1 | 1 | 020 | 4 | 1979 |
| 12400 | -45.1 | 139.0 | 1 | 026 | 7 | 1994 |
| 12500 | -45.7 | 136.9 | 1 | 002 | 9 | 2009 |
| 12600 | -45.4 | 134.9 | 1 | 356 | 12 | 2024 |
| 12700 | -45.8 | 132.9 | 1 | 358 | 9 | 2039 |
| 12800 | -44.8 | 130.9 | 1 | 360 | 6 | 2054 |
| 12900 | -43.7 | 128.9 | 1 | 345 | 7 | 2069 |
| 13000 | -44.2 | 127.0 | 1 | 351 | 9 | 2084 |
| 13100 | -44.7 | 125.2 | 1 | 350 | 8 | 2099 |
| 13200 | -43.0 | 123.3 | 1 | 359 | 9 | 2114 |
| 13300 | -44.1 | 121.5 | 1 | 002 | 8 | 2129 |
| 13400 | -43.6 | 119.7 | 1 | 012 | 8 | 2144 |
| 13500 | -43.7 | 117.9 | 1 | 001 | 10 | 2159 |
| 13600 | -44.5 | 116.2 | 1 | 334 | 7 | 2175 |
| 13700 | -43.1 | 114.5 | 1 | 337 | 10 | 2190 |
| 13800 | -41.4 | 112.8 | 1 | 334 | 10 | 2204 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|------|
| 13900 | -41.0 | 111.2 | 1 | 332 | 10 | 2220 |
| 14000 | -41.4 | 109.5 | 1 | 332 | 10 | 2235 |
| 14100 | -41.8 | 107.9 | 1 | 328 | 10 | 2250 |
| 14200 | -41.2 | 106.4 | 1 | 322 | 13 | 2265 |
| 14300 | -41.1 | 104.8 | 1 | 315 | 10 | 2280 |
| 14400 | -41.8 | 103.3 | 1 | 312 | 9 | 2296 |
| 14500 | -40.5 | 101.8 | 1 | 314 | 13 | 2311 |
| 14600 | -40.3 | 100.3 | 1 | 343 | 4 | 2326 |
| 14700 | -39.0 | 98.8 | 1 | 336 | 7 | 2341 |
| 14800 | -39.6 | 97.4 | 1 | 358 | 10 | 2356 |
| 14900 | -38.6 | 96.0 | 1 | 331 | 10 | 2371 |
| 15000 | -37.8 | 94.6 | 1 | 311 | 10 | 2386 |
| 15100 | -38.2 | 93.3 | 1 | 304 | 11 | 2402 |
| 15200 | -37.4 | 91.9 | 1 | 294 | 9 | 2417 |
| 15300 | -37.4 | 90.6 | 1 | 285 | 9 | 2432 |
| 15400 | -36.1 | 89.3 | 1 | 297 | 8 | 2447 |
| 15500 | -36.5 | 88.0 | 1 | 327 | 10 | 2462 |
| 15600 | -36.3 | 86.8 | 1 | 330 | 11 | 2478 |
| 15700 | -36.3 | 85.5 | 1 | 351 | 13 | 2493 |
| 15800 | -35.5 | 84.3 | 1 | 340 | 15 | 2508 |
| 15900 | -34.4 | 83.1 | 1 | 331 | 16 | 2523 |
| 16000 | -34.9 | 81.9 | 1 | 328 | 17 | 2539 |
| 16100 | -34.5 | 80.8 | 1 | 313 | 19 | 2554 |
| 16200 | -33.1 | 79.6 | 1 | 291 | 18 | 2569 |
| 16300 | -31.8 | 78.5 | 1 | 294 | 19 | 2584 |
| 16400 | -33.7 | 77.4 | 1 | 305 | 19 | 2600 |
| 16500 | -33.4 | 76.3 | 1 | 316 | 18 | 2615 |
| 16600 | -33.0 | 75.2 | 1 | 304 | 17 | 2631 |
| 16700 | -33.0 | 74.2 | 1 | 304 | 18 | 2646 |
| 16800 | -31.2 | 73.1 | 1 | 308 | 19 | 2661 |
| 16900 | -30.9 | 72.1 | 1 | 298 | 19 | 2676 |
| 17000 | -30.1 | 71.1 | 1 | 297 | 19 | 2692 |
| 17100 | -29.8 | 70.1 | 1 | 310 | 17 | 2707 |
| 17200 | -29.5 | 69.2 | 1 | 296 | 16 | 2722 |
| 17300 | -29.2 | 68.2 | 1 | 288 | 19 | 2738 |
| 17400 | -29.0 | 67.2 | 1 | 292 | 18 | 2753 |
| 17500 | -29.0 | 66.3 | 1 | 289 | 13 | 2769 |
| 17600 | -28.6 | 65.4 | 1 | 287 | 15 | 2784 |
| 17700 | -27.8 | 64.5 | 1 | 290 | 16 | 2799 |
| 17800 | -27.4 | 63.6 | 1 | 313 | 14 | 2815 |
| 17900 | -27.6 | 62.7 | 1 | 315 | 16 | 2830 |
| 18000 | -27.5 | 61.9 | 1 | 307 | 18 | 2846 |
| 18100 | -28.4 | 61.0 | 1 | 284 | 17 | 2861 |
| 18200 | -28.6 | 60.2 | 1 | 299 | 21 | 2877 |
| 18300 | -28.0 | 59.3 | 1 | 299 | 17 | 2892 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|------|
| 18400 | -26.2 | 58.5 | 1 | 286 | 17 | 2907 |
| 18500 | -26.1 | 57.7 | 1 | 286 | 16 | 2923 |
| 18600 | -24.9 | 56.9 | 1 | 288 | 9 | 2938 |
| 18700 | -24.9 | 56.2 | 1 | 277 | 9 | 2954 |
| 18800 | -24.7 | 55.4 | 1 | 265 | 12 | 2969 |
| 18900 | -23.7 | 54.6 | 1 | 265 | 12 | 2984 |
| 19000 | -23.4 | 53.9 | 1 | 304 | 10 | 3000 |
| 19100 | -24.1 | 53.2 | 1 | 321 | 12 | 3015 |
| 19200 | -24.0 | 52.5 | 1 | 305 | 13 | 3031 |
| 19300 | -22.8 | 51.7 | 1 | 305 | 12 | 3046 |
| 19400 | -22.8 | 51.0 | 1 | 313 | 14 | 3062 |
| 19500 | -21.7 | 50.4 | 1 | 319 | 18 | 3077 |
| 19600 | -21.8 | 49.7 | 1 | 328 | 24 | 3093 |
| 19700 | -20.0 | 49.0 | 1 | 322 | 29 | 3108 |
| 19800 | -20.9 | 48.4 | 1 | 316 | 28 | 3124 |
| 19900 | -21.8 | 47.7 | 1 | 297 | 14 | 3139 |
| 20000 | -21.2 | 47.1 | 1 | 300 | 16 | 3155 |
| 20100 | -21.0 | 46.4 | 1 | 296 | 23 | 3170 |
| 20200 | -20.1 | 45.8 | 1 | 282 | 18 | 3186 |
| 20300 | -20.2 | 45.2 | 1 | 268 | 12 | 3201 |
| 20400 | -20.2 | 44.6 | 1 | 299 | 13 | 3217 |
| 20500 | -19.8 | 44.0 | 1 | 294 | 12 | 3232 |
| 20600 | -20.0 | 43.4 | 1 | 292 | 14 | 3248 |
| 20700 | -19.4 | 42.8 | 1 | 300 | 22 | 3263 |
| 20800 | -19.1 | 42.3 | 1 | 306 | 20 | 3279 |
| 20900 | -20.0 | 41.7 | 1 | 295 | 24 | 3294 |
| 21000 | -20.2 | 41.2 | 1 | 283 | 27 | 3310 |
| 21100 | -19.8 | 40.6 | 1 | 275 | 26 | 3325 |
| 21200 | -20.0 | 40.1 | 1 | 266 | 25 | 3341 |
| 21300 | -20.4 | 39.5 | 1 | 261 | 22 | 3356 |
| 21400 | -20.2 | 39.0 | 1 | 266 | 15 | 3372 |
| 21500 | -20.1 | 38.5 | 1 | 291 | 10 | 3387 |
| 21600 | -20.0 | 38.0 | 1 | 292 | 11 | 3403 |
| 21700 | -20.0 | 37.5 | 1 | 274 | 17 | 3418 |
| 21800 | -20.2 | 37.0 | 1 | 280 | 13 | 3434 |
| 21900 | -20.1 | 36.5 | 1 | 290 | 12 | 3450 |
| 22000 | -20.1 | 36.0 | 1 | 296 | 14 | 3465 |
| 22100 | -20.3 | 35.5 | 1 | 291 | 14 | 3481 |
| 22200 | -19.8 | 35.0 | 1 | 302 | 16 | 3496 |
| 22300 | -19.5 | 34.6 | 1 | 312 | 18 | 3512 |
| 22400 | -19.0 | 34.1 | 1 | 315 | 21 | 3527 |
| 22500 | -17.6 | 33.6 | 1 | 315 | 24 | 3543 |
| 22600 | -18.0 | 33.2 | 1 | 309 | 22 | 3558 |
| 22700 | -17.7 | 32.8 | 1 | 304 | 21 | 3574 |
| 22800 | -18.1 | 32.3 | 1 | 302 | 17 | 3590 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|------|
| 22900 | -18.4 | 31.9 | 1 | 299 | 17 | 3605 |
| 23000 | -18.4 | 31.5 | 1 | 301 | 20 | 3621 |
| 23100 | -17.8 | 31.1 | 1 | 302 | 24 | 3636 |
| 23200 | -17.8 | 30.6 | 1 | 302 | 26 | 3652 |
| 23300 | -17.9 | 30.2 | 1 | 303 | 27 | 3667 |
| 23400 | -18.2 | 29.8 | 1 | 301 | 25 | 3683 |
| 23500 | -17.3 | 29.5 | 1 | 294 | 26 | 3699 |
| 23600 | -17.6 | 29.1 | 1 | 290 | 26 | 3714 |
| 23700 | -17.5 | 28.7 | 1 | 286 | 22 | 3730 |
| 23800 | -17.7 | 28.3 | 1 | 281 | 22 | 3745 |
| 23900 | -18.1 | 27.9 | 1 | 282 | 21 | 3761 |
| 24000 | -17.8 | 27.6 | 1 | 277 | 21 | 3776 |
| 24100 | -17.8 | 27.2 | 1 | 267 | 19 | 3792 |
| 24200 | -17.1 | 26.8 | 1 | 264 | 18 | 3808 |
| 24300 | -17.5 | 26.5 | 1 | 268 | 11 | 3823 |
| 24400 | -18.0 | 26.1 | 1 | 270 | 13 | 3839 |
| 24500 | -17.4 | 25.8 | 1 | 286 | 13 | 3854 |
| 24600 | -16.8 | 25.4 | 1 | 273 | 13 | 3870 |
| 24700 | -16.8 | 25.1 | 1 | 271 | 15 | 3886 |
| 24800 | -16.6 | 24.8 | 1 | 277 | 13 | 3901 |
| 24900 | -16.5 | 24.5 | 1 | 279 | 14 | 3917 |
| 25000 | -16.4 | 24.1 | 1 | 271 | 14 | 3932 |
| 25100 | -16.1 | 23.8 | 1 | 266 | 14 | 3948 |
| 25200 | -15.9 | 23.5 | 1 | 264 | 17 | 3964 |
| 25300 | -15.7 | 23.2 | 1 | 279 | 17 | 3979 |
| 25400 | -16.1 | 22.9 | 1 | 275 | 16 | 3995 |
| 25500 | -14.7 | 22.6 | 1 | 289 | 17 | 4010 |
| 25600 | -14.6 | 22.3 | 1 | 290 | 21 | 4026 |
| 25700 | -15.2 | 22.0 | 1 | 289 | 18 | 4042 |
| 25800 | -15.0 | 21.7 | 1 | 275 | 15 | 4057 |
| 25900 | -14.8 | 21.4 | 1 | 250 | 7 | 4073 |
| 26000 | -15.0 | 21.2 | 1 | 262 | 6 | 4088 |
| 26100 | -14.6 | 20.9 | 1 | 283 | 3 | 4104 |
| 26200 | -14.3 | 20.6 | 1 | 298 | 6 | 4120 |
| 26300 | -14.0 | 20.3 | 1 | 267 | 9 | 4135 |
| 26400 | -13.7 | 20.1 | 1 | 236 | 8 | 4151 |
| 26500 | -13.3 | 19.8 | 1 | 218 | 4 | 4166 |
| 26600 | -13.2 | 19.6 | 1 | 160 | 4 | 4182 |
| 26700 | -12.6 | 19.3 | 1 | 114 | 7 | 4198 |
| 26800 | -12.4 | 19.1 | 1 | 100 | 8 | 4213 |
| 26900 | -12.2 | 18.8 | 1 | 102 | 12 | 4229 |
| 27000 | -12.2 | 18.6 | 1 | 104 | 15 | 4245 |
| 27100 | -12.4 | 18.3 | 1 | 093 | 15 | 4260 |
| 27200 | -11.5 | 18.1 | 1 | 090 | 15 | 4276 |
| 27300 | -11.3 | 17.9 | 1 | 074 | 17 | 4291 |

| Alt [m] | Temp [°C] | Pres [hPa] | Hum [%] | Wd [Deg] | Ws [kn] | MRI |
|---------|-----------|------------|---------|----------|---------|------|
| 27400 | -11.3 | 17.6 | 1 | 073 | 24 | 4307 |
| 27500 | -10.8 | 17.4 | 1 | 063 | 27 | 4323 |
| 27600 | -9.8 | 17.2 | 1 | 053 | 28 | 4338 |
| 27700 | -10.6 | 17.0 | 1 | 048 | 27 | 4354 |
| 27800 | -10.8 | 16.7 | 1 | 040 | 26 | 4370 |
| 27900 | -11.1 | 16.5 | 1 | 036 | 20 | 4385 |
| 28000 | -11.6 | 16.3 | 1 | 030 | 20 | 4401 |
| 28100 | -12.0 | 16.1 | 1 | 019 | 20 | 4417 |
| 28200 | -12.0 | 15.9 | 1 | 003 | 19 | 4432 |
| 28300 | -11.9 | 15.7 | 1 | 005 | 12 | 4448 |
| 28400 | -12.0 | 15.5 | 1 | 007 | 10 | 4463 |
| 28500 | -12.4 | 15.3 | 1 | 026 | 9 | 4479 |
| 28600 | -12.7 | 15.1 | 1 | 032 | 11 | 4495 |